

**HARMFUL - KEEP OUT OF REACH OF CHILDREN**

**SHAKE WELL BEFORE USE**



**Adjuvant - Non-ionic spreader sticker wetter**

# **WIDESPREAD**

**A general purpose spreader, sticker,  
wetter for use with herbicides,  
insecticides and fungicides**



**Marketed By:**

Ravensdown Fertiliser Co-operative Ltd  
Level 1, 32 Oxford Terrace  
Christchurch, New Zealand  
Telephone: 03 353 4600  
Facsimile: 03 353 4625

**Batch:**

**D.O.M:**

**NET CONTENTS:**

**1 LITRE**

# READ LABEL CAREFULLY BEFORE USING WIDESPREAD

This product must not be used for any purpose, or in any manner, contrary to the label unless authorized under appropriate legislation.

**HAZARD CLASSIFICATION: 6.1E, 6.3B, 6.4A, 6.9B, 9.1B**

## TOXICITY

**Harmful** - May be harmful if swallowed, inhaled or absorbed through the skin. May cause skin and eye irritation. May cause organ damage from repeated oral exposure at high doses.

## ECOTOXICITY

**Toxic to aquatic organisms.** Avoid contamination of any water supply with chemical or empty container.

## HANDLING PRECAUTIONS

### STORAGE

Keep out of reach of children. Keep product from freezing. Store in accordance with NZS 8409 Management of Agrichemicals. Store in original container tightly closed in a locked, dry, cool, well ventilated area away from foodstuffs, fertilizers and seeds. Stores containing 1000L of Widespread are subject to signage and secondary containment. More than 1000L require emergency response plans.

### PERSONAL PROTECTION

Avoid contact with skin, eyes and inhalation of spray mist. When mixing and applying wear protective clothing such as waterproof gloves, eye protection, overalls and boots. Wash splashes of concentrate from skin and eyes immediately. Remove protective clothing and wash hands and face thoroughly before meals and after work. Do not eat, drink or smoke while using.

### EQUIPMENT

Apply using well maintained and accurately calibrated equipment. Flush equipment thoroughly with clean water after use.

### RECORD KEEPING

Records of use as described in NZS 8409 Management of Agrichemicals must be kept.

### DISPOSAL

Triple rinse container and add rinsate to spray tank. Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for disposal. Otherwise crush or puncture and bury in an approved landfill. Do not burn container. Do not use container for any other purpose. Dispose of product only by using according to label directions or dispose of safely at a managed landfill.

## FIRST AID

If swallowed, DO NOT induce vomiting. For advice contact the National Poisons Center 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If contact with eyes occurs, wash out immediately with running water for 15 minutes.

Approved pursuant to the HSNO Act 1996, Code: HSR002503. See [www.erma.govt.nz](http://www.erma.govt.nz) for approval controls.

Agrecovery is available on HDPE containers of 60 litres or less only.



**Ravensdown**

PHONE 0800 100 123 FAX 0800 100 118  
24 hours, 7 days



**AGRECOVERY**

## SPILLAGE

In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Exclude non-essential people from the area. Contain liquid spills and absorb with inert material such as soil or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

## EMERGENCY RESPONSE

In transport emergency call 111, Police or Fire Brigade. For 24hr specialist advice in an emergency only call 0800 CHEMCALL (0800 243 622).

## SAFETY DATA SHEET

If additional safety information is required, refer to the Safety Data Sheet. For a copy contact the customer centre on 0800 100 123.

## SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

## DIRECTIONS FOR USE

### SHAKE WELL BEFORE USE

Widespread is a non-ionic general purpose spreader sticker spray adjuvant used to optimise the efficacy of agricultural herbicides, insecticides, fungicides, acaricides, plant growth regulators and defoliants. Widespread improves the wetting, spreading and contact activity of pesticide applications, providing more uniform coverage without excessive run-off. Widespread also incorporates an antifoaming agent that eliminates unwanted foaming in spray applications involving recirculating sprayers and other high agitation equipment.

### MIXING

Always add Widespread to the tank with the agitator running. Always read and follow all directions, mixing instructions and precautionary statements of the pesticide label that is to be tank mixed with Widespread.

## RATES OF USE

Application Method	Situation	Rate per 100L Water
Ground	Herbicides, defoliants, desiccants	125-500ml
	Glyphosate formulations without surfactant (unloaded)	500ml
	Insecticides, fungicides, acaricides	50-250ml
	Plant growth regulators, micronutrients	50-250ml
	Soil sterilants	1L
Air	All pesticides and micronutrients	50-500ml
CDA	All pesticides and micronutrients	50-500ml

Refer to the pesticide label of the product Widespread is to be mixed with for water rates per ha.

### Herbicides

Widespread is a highly effective aid to the application of both selective and non-selective herbicides for the control of nuisance herbaceous plants and grasses. Herbicide sprays containing phenoxy compounds will benefit from the addition of Widespread on hard to wet plants.

### Insecticides, Fungicides, Acaricides

Widespread enhances the wetting characteristics of these pesticides and the contact activity with the target pest. The desired water volume will vary with plant size and type of foliage to be covered.

### Defoliants

Plant defoliation products require specifically timed and targeted applications. Widespread will help facilitate these applications based on the desired water volume.

## **WARRANTY AND LIMITATION**

**IMPORTANT:** Read this notice before opening the container.

The registrant warrants that when packed the active ingredient of this product is as specified on this label within accepted analytical tolerances. The registrant gives only those other warranties that are required by law in relation to this product and limits its liability to the cost paid by the claimant for the product. The registrant declines all liability for damage resulting from the handling, storage or use of this product. The user bears the risk from the handling, storage or use of this product. The registrant is not liable for any use of this product which is contrary to the label directions given or any Act or Regulation.

**HARMFUL - KEEP OUT OF REACH OF CHILDREN  
SHAKE WELL BEFORE USE**



**Adjuvant - Non-ionic spreader sticker wetter**

# **WIDESPREAD**

**A general purpose spreader, sticker,  
wetter for use with herbicides,  
insecticides and fungicides**



**Marketed By:**  
Ravensdown Fertiliser Co-operative Ltd  
Level 1, 32 Oxford Terrace  
Christchurch, New Zealand  
Telephone: 03 353 4600  
Facsimile: 03 353 4625

**Batch:**  
**D.O.M:**

**NET CONTENTS:**  
**5 LITRES**

**HARMFUL - KEEP OUT OF REACH OF CHILDREN  
SHAKE WELL BEFORE USE**



**Adjuvant - Non-ionic spreader sticker wetter**

# **WIDESPREAD**

**A general purpose spreader, sticker,  
wetter for use with herbicides,  
insecticides and fungicides**



**Marketed By:**  
Ravensdown Fertiliser Co-operative Ltd  
Level 1, 32 Oxford Terrace  
Christchurch, New Zealand  
Telephone: 03 353 4600  
Facsimile: 03 353 4625

Batch:  
D.O.M:

**NET CONTENTS:  
20 LITRES**

## DIRECTIONS FOR USE

### SHAKE WELL BEFORE USE

Widespread is a non-ionic general purpose spreader sticker spray adjuvant used to optimise the efficacy of agricultural herbicides, insecticides, fungicides, acaricides, plant growth regulators and defoliant. Widespread improves the wetting, spreading and contact activity of pesticide applications, providing more uniform coverage without excessive run-off. Widespread also incorporates an antifoaming agent that eliminates unwanted foaming in spray applications involving recirculating sprayers and other high agitation equipment.

### MIXING

Always add Widespread to the tank with the agitator running. Always read and follow all directions, mixing instructions and precautionary statements of the pesticide label that is to be tank mixed with Widespread.

## RATES OF USE

Application Method	Situation	Rate per 100L Water
Ground	Herbicides, defoliant, desiccants	125-500ml
	Glyphosate formulations without surfactant (unloaded)	500ml
	Insecticides, fungicides, acaricides	50-250ml
	Plant growth regulators, micronutrients	50-250ml
	Soil sterilants	1L
Air	All pesticides and micronutrients	50-500ml
CDA	All pesticides and micronutrients	50-500ml

Refer to the pesticide label of the product Widespread is to be mixed with for water rates per ha.

### Herbicides

Widespread is a highly effective aid to the application of both selective and non-selective herbicides for the control of nuisance herbaceous plants and grasses. Herbicide sprays containing phenoxy compounds will benefit from the addition of Widespread on hard to wet plants.

### Insecticides, Fungicides, Acaricides

Widespread enhances the wetting characteristics of these pesticides and the contact activity with the target pest. The desired water volume will vary with plant size and type of foliage to be covered.

### Defoliant

Plant defoliation products require specifically timed and targeted applications. Widespread will help facilitate these applications based on the desired water volume.

## WARRANTY AND LIMITATION

**IMPORTANT:** Read this notice before opening the container.

The registrant warrants that when packed the active ingredient of this product is as specified on this label within accepted analytical tolerances. The registrant gives only those other warranties that are required by law in relation to this product and limits its liability to the cost paid by the claimant for the product. The registrant declines all liability for damage resulting from the handling, storage or use of this product. The user bears the risk from the handling, storage or use of this product. The registrant is not liable for any use of this product which is contrary to the label directions given or any Act or Regulation.

# READ LABEL CAREFULLY BEFORE USING WIDESPREAD

This product must not be used for any purpose, or in any manner, contrary to the label unless authorized under appropriate legislation.

**HAZARD CLASSIFICATION: 6.1E, 6.3B, 6.4A, 6.9B, 9.1B**

### TOXICITY

**Harmful** - May be harmful if swallowed, inhaled or absorbed through the skin. May cause skin and eye irritation. May cause organ damage from repeated oral exposure at high doses.

### ECOTOXICITY

**Toxic to aquatic organisms.** Avoid contamination of any water supply with chemical or empty container.

### HANDLING PRECAUTIONS

#### STORAGE

Keep out of reach of children.

Keep product from freezing.

Store in accordance with NZS 8409 Management of Agrichemicals.

Store in original container tightly closed in a locked, dry, cool, well ventilated area away from foodstuffs, fertilizers and seeds.

Stores containing 1000L of Widespread are subject to signage and secondary containment. More than 1000L require emergency response plans.

#### PERSONAL PROTECTION

Avoid contact with skin, eyes and inhalation of spray mist.

When mixing and applying wear protective clothing such as waterproof gloves, eye protection, overalls and boots.

Wash splashes of concentrate from skin and eyes immediately.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

Do not eat, drink or smoke while using.

#### EQUIPMENT

Apply using well maintained and accurately calibrated equipment. Flush equipment thoroughly with clean water after use.

#### RECORD KEEPING

Records of use as described in NZS 8409 Management of Agrichemicals must be kept.

#### DISPOSAL

Triple rinse container and add rinsate to spray tank. Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for disposal. Otherwise crush or puncture and bury in an approved landfill. Do not burn container. Do not use container for any other purpose. Dispose of product only by using according to label directions or dispose of safely at a managed landfill.

#### FIRST AID

If swallowed, DO NOT induce vomiting. For advice contact the National Poisons Center 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If contact with eyes occurs, wash out immediately with running water for 15 minutes.

#### SPILLAGE

In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Exclude non-essential people from the area. Contain liquid spills and absorb with inert material such as soil or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

#### EMERGENCY RESPONSE

In transport emergency call 111, Police or Fire Brigade. For 24hr specialist advice in an emergency only call 0800 CHEMCALL (0800 243 622).

#### SAFETY DATA SHEET

If additional safety information is required, refer to the Safety Data Sheet. For a copy contact the customer centre on 0800 100 123.

#### SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

Approved pursuant to the HSNO Act 1996, Code: HSR002503

See [www.erna.govt.nz](http://www.erna.govt.nz) for approval controls.

Agrecovery is available on HDPE containers of 60 litres or less only.



**Ravensdown**

PHONE  
**0800 100 123** FAX  
**0800 100 118**  
24 hours, 7 days



**AGRECOVERY**