

WARNING – KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY


**ravensdown**

AbamectinTM Plus Tape

Mineralised oral drench for the control
and treatment of roundworms and
tapeworms in sheep

ACTIVE INGREDIENTS:

1.0g/litre abamectin, 18.8g/litre praziquantel,
1.0g/litre iodine, 0.2g/litre cobalt, 2.1g/litre
copper, 0.6g/litre zinc, 0.5g/litre selenium.



461200 V01



Registrant: Ravensdown Ltd

292 Main South Road
Hornby, Christchurch 8042
New Zealand
Phone: 03 353 4600

ravensdown.co.nz

NET CONTENTS
15 Litres

ABAMECTIN™ PLUS TAPE | READ LABEL CAREFULLY BEFORE USING

Read label carefully and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

HANDLING PRECAUTIONS

May be harmful if swallowed, inhaled or absorbed through the skin. May cause skin allergy. Suspected of damaging fertility or the unborn child. May cause harm to breastfed children. Avoid contact with the skin and avoid breathing vapours. Avoid contact during pregnancy/while nursing. Wear protective gloves and use personal protective equipment as required. Do not eat, drink or smoke when using this product and wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse.

FIRST AID

If skin contact occurs remove contaminated clothing and wash with plenty of soap and running water. If eye contact occurs, rinse cautiously with water for several minutes. For advice, or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately. If medical advice is needed, have product container or label at hand.

ENVIRONMENTAL PROTECTION

Very toxic to aquatic life and toxic to terrestrial invertebrates. Harmful to the soil environment. Studies indicate that when abamectin comes into contact with soil, it readily and tightly binds to the soil and becomes inactive over time. Avoid release to the environment.

DISPOSAL

Preferably dispose of product by use. Otherwise treat the product so that it is no longer toxic and dispose of product and packaging at an approved landfill or other approved facility. Triple rinse empty container, crush or puncture and bury in a suitable landfill, or if appropriate recycle.

EMERGENCY RESPONSE

In case of spillage wear appropriate protective clothing and prevent material from entering water ways. Absorb spills with inert material and place in waste containers. Sweep up solids without creating dust. Wash area with water and absorb with further inert material. Dispose of waste safely.

EFFICACY SPECTRUM

ABAMECTIN PLUS TAPE contains 1g/L abamectin, a member of the macrocyclic lactone family of compounds, and 18.8g/L praziquantel. It also contains iodine, cobalt, copper, zinc and 0.5g/L selenium. **ABAMECTIN PLUS TAPE** is effective against the following sensitive internal parasites:

Adult and immature gastrointestinal roundworms:

- *Haemonchus* spp. (including inhibited L4 stage)
- *Ostertagia* spp. (including inhibited L4 stage)
- *Trichostrongylus* spp.
- *Cooperia* spp. (including inhibited L4 stage)
- *Nematodirus* spp. (adults only)
- *Oesophagostomum* spp. (adults only)

Tapeworms: • *Moniezia* spp. **Lungworms:** • *Dictyocaulus* spp.

Note: Resistance can develop to any anthelmintic. Ask your local veterinary practitioner or animal health adviser for recommended parasite management practices for your area to reduce the potential for resistance to develop. It is advisable that a resistance test be conducted regularly when using any parasite treatment.

DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label. Do not use at the same time as any other selensised fertiliser, prill or product without consulting a veterinarian. Do not exceed the stated dose, or dose more frequently than 3-weekly.

Caution: In sheep, liver levels of copper may be quite variable. Consequently, there is always a risk of copper poisoning (deaths) occurring following copper supplementation in this species.

SHAKE CONTAINER WELL BEFORE USE. A representative sample of animals should be weighed before treatment. Dose the mob to the heaviest animal by liveweight in each group (ewes, wethers, rams, lambs). Do not underdose. Where there is a large variation in size within the group, dose rate should be based on the label directions for each weight range. Drafting into two or more lines may be appropriate, to avoid excessive overdosing. Check accuracy of drenching equipment regularly, and clean gun thoroughly before and after use. Correct drenching technique should be used.

DOSE RATE

1ml per 5kg live-weight (0.2mg abamectin and 3.75mg praziquantel per kg live-weight) by oral drench. Do not use on lambs under 20kg live-weight or under 4 weeks of age.

DOSE VOLUME TABLE

Live-weight (kg)	Dose volume (ml)	15L pack treats (head)
21-25	5	3,000
26-30	6	2,500
31-35	7	2,142
36-40	8	1,875
41-45	9	1,666
46-50	10	1,500
51-55	11	1,363
56-60	12	1,250
61-65	13	1,153
66-70	14	1,071
71-75	15	1,000

Sheep heavier than 75kg should be dosed at 1ml per 5kg live-weight.

WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

MEAT: Sheep producing meat or offal for human consumption must not be sold for slaughter during or within 14 days of last treatment.

MILK: Milk intended for sale for human consumption or manufacture must be discarded during treatment and for not less than 35 days following the last treatment.

BATCH:

EXP:



EPA approval number HSRO01960. See www.epa.govt.nz for approval conditions. Registered pursuant to the ACVM Act 1997, No.A9448. See www.foodsafety.govt.nz for registration conditions. Store locked up in the original container, tightly closed in a safe place. Store below 30°C away from direct sunlight. **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Abamectin)** UN Number 3082, Pack Group III, Hazchem 3Z In transport emergency call 111, Police or Fire Brigade. For 24hr specialist advice in an emergency only call **0800 CHEMICAL (0800 243 622)**. If additional safety information is required, refer to the Safety Data Sheet (SDS). For a copy of the SDS phone 0800 100 123.

PHONE **0800 100 123**

Agrecovery is available on plastic containers up to 60L and for plastic or steel large drums from 61L - 1000L.

