

WARNING - KEEP OUT OF REACH OF CHILDREN. FOR ANIMAL TREATMENT ONLY - SHAKE WELL BEFORE USE


ravensdown 

Cyromazine

Spray-On

For the prevention of blowfly
strike on sheep

READ ENTIRE LABEL BEFORE USE



NET CONTENTS
10 Litres

ACTIVE INGREDIENTS:


60g/litre cyromazine with 16.7g/litre glacial acetic acid

ravensdown 

Cyromazine

Spray-On

For the prevention of blowfly
strike on sheep



NET CONTENTS
10 Litres



Registered to: Nexan Corporation Ltd
PO Box 217234, Botany Junction
Auckland, New Zealand

Distributor: Ravensdown Ltd
292 Main South Road, Hornby, Christchurch 8042
New Zealand. Phone: 03 353 4600

ravensdown.co.nz



CYROMAZINE SPRAY-ON | READ LABEL CAREFULLY BEFORE USING

Read label carefully and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

HAZARD CLASSIFICATION: 6.3A, 6.9B, 8.3A, 9.1C

WARNING: DANGEROUS TO THE ENVIRONMENT - CORROSIVE

HANDLING PRECAUTIONS

May cause skin irritation. Avoid skin contact. May cause eye damage. Avoid contact with eyes. Wear eye and face protection. Cyromazine may possibly affect blood and the haemopoietic system. Acetic acid may possibly damage the lungs following inhalation. Handle with care.

FIRST AID

If skin or hair contact occurs remove contaminated clothing and flush skin and hair with running water. If eye contact occurs, hold eyes open and rinse cautiously with water for several minutes. Contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

ENVIRONMENTAL PROTECTION

Harmful to aquatic organisms. Avoid contamination of any water supply with product or empty container. Avoid release to the environment.

DISPOSAL

Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Avoid contamination of any water source. Triple rinse container immediately after emptying and pour rinsate onto waste ground. DO NOT use container for any other purpose.

EMERGENCY RESPONSE

In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Dispose of waste safely.

ACTIVE INGREDIENT

Ravensdown CYROMAZINE Spray-On contains 60g/L Cyromazine in the form of an aqueous concentrate.

GENERAL INFORMATION

Ravensdown CYROMAZINE Spray-On is an easy to use Spray-On, which will give up to 6 weeks residual protection against flystrike caused by all commonly found strike flies including Australian blowfly (*Lucilia cuprina*). Ravensdown CYROMAZINE Spray-On can be used on all breeds of sheep. Ravensdown CYROMAZINE Spray-On is suitable for use on sheep between 4 and 12 weeks after shearing.

A shorter period of protection may occur if Ravensdown CYROMAZINE Spray-On is applied incorrectly, if there is excessive fleece soiling or if wool infections such as mycotic dermatitis (fleece rot) are present. Prolonged heavy rain following treatment may also reduce the protection period provided by Ravensdown CYROMAZINE Spray-On.

DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Apply Ravensdown CYROMAZINE Spray-On through a suitable clean application gun with a standard flat fan spray nozzle. The product should be sprayed on in bands with the gun held 20cm above the wool during application to make a spray band width of 15cm. Ensure the gun is calibrated before use.

Ravensdown CYROMAZINE Spray-On should be applied onto those areas where maximum protection against flystrike is required. Ravensdown CYROMAZINE Spray-On applied between the rump and shoulders should be sprayed on in even bands as shown (see diagram). The product sprayed onto the rump should be applied in an arc over the area shown (see diagram). The dose rate and number of bands to be applied are shown in the table.

Note: The dose volume applied should be based on weight of the heaviest sheep in the mob.

ravensdown 

CYROMAZINE SPRAY-ON | READ LABEL CAREFULLY BEFORE USING

Read label carefully and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

APPLICATION AND DOSE RATES OF CYROMAZINE SPRAY-ON

Application and dose rate of Ravensdown CYROMAZINE Spray-On for the protection of all the commonly struck areas of the sheep

DOSAGE GUIDE	2 bands - sheep between 11-20kg		3 bands - sheep between 21-40kg		4 bands - sheep between 41-60kg		5 bands - sheep between 61-70kg
	11-15	16-20	21-30	31-40	41-50	51-60	61-70
Liveweight (kg)	11-15	16-20	21-30	31-40	41-50	51-60	61-70
No. of bands	2	2	3	3	4	4	5
Volume per band (ml)	7.5	10	10	13.3	12.5	15	14
Total volume applied (ml)	15	20	30	40	50	60	70
Sheep treated per 10L	666	500	333	250	200	166	142



Agrecovery is available on plastic containers up to 60L and for plastic or steel large drums from 61L - 1000L.



PHONE **0800 100 123**

BATCH:

EXP:



Application and dose rate of Ravensdown CYROMAZINE Spray-On at docking for the prevention of flystrike:

Apply between 5ml and 10ml over crutch ensuring that sufficient product to cover area to be protected is applied (see diagram).

WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

MEAT: Sheep producing meat or offal for human consumption must not be sold for slaughter either during or within **7 days** of the last treatment.

MILK: Milk intended for sale for human consumption must be discarded during treatment and for **35 days** following the last treatment.

WOOL RESIDUES: Ensure the time between dipping and subsequent shearing is at least **two months**, except in the case of spot treatment of flystrike. For advice on your dipping programme, contact your supplier.

Registered pursuant to the HSNO Act 1996, HSR001844. See www.epa.govt.nz for approval conditions. Registered pursuant to the ACVM Act 1997, No.A011468. See www.foodsafety.govt.nz/acvm/ for registration conditions.

Store at or below 25°C, avoid temperatures below 0°C and above 35°C. Protect from light.

In transport emergency call 111, Police or Fire Brigade. For 24hr specialist advice in an emergency only call **0800 CHEMICAL (0800 243 622)**. If additional safety information is required, refer to the Safety Data Sheet (SDS). For a copy of the SDS phone 0800 100 123.