## **WARNING** – KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY - DANGEROUS TO THE ENVIRONMENT




# **Closantel Plus**

Mineralised oral drench for the control and treatment of internal parasites, including persistent activity against Barber's Pole (*Haemonchus contortus*), and liver fluke (*Fasciola hepatica*) in sheep.

#### **ACTIVE INGREDIENTS:**

1g/L abamectin, 50g/L closantel (as sodium salt) with 0.5g/L **selenium** & 2.2g/L cobalt





Registered to: Nexan Corporation Ltd PO Box 217234 Botany Junction

Auckland, New Zealand

**Distributor: Ravensdown Ltd** 

292 Main South Road Hornby, Christchurch 8042 New Zealand Phone: 03 353 4600

ravensdown.co.nz

NET CONTENTS **20 Litres** 

# ravensdown 💯

### **CLOSANTEL PLUS** | READ LABEL CAREFULLY BEFORE USING

Read label carefully and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

#### HANDLING PRECAUTIONS

May be harmful if swallowed. Wash hands and exposed skin before meals and after use. Repeated exposure may cause skin allergy. Avoid skin contact. Abamectin and Closantel may possibly affect development and/or reproduction. Abamectin may possibly have effects on or via lactation. Closantel may possibly affect the liver. Handle with care.

#### FIRST AID

If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs remove contaminated clothing and flush skin and hair with running water.

#### **ENVIRONMENTAL PROTECTION**

Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment. Harmful to terrestrial vertebrates. Very toxic to terrestrial invertebrates. Avoid release to the environment.

#### DISPOSAL

Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Avoid contamination of any water source. Triple rinse container immediately after emptying and pour rinsate onto waste ground. Do NOT use container for any other purpose.

CONTAINS: 1g/L abamectin, 50g/L closantel and 15.7g/L Cobalt disodium EDTA

#### **EMERGENCY RESPONSE**

In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Dispose of waste safely.

#### **DIRECTIONS FOR USE**

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Shake well before use. CLOSANTEL PLUS is ready to use through standard drenching equipment. Rinse gun with water immediately after use. A representative sample of animals should be weighed before treatment. Dose the mob to the heaviest animal by live weight in each group (ewes, wethers, rams, lambs). Do not underdose. Where there is a large variation in size within the group, dose rate should be based on the label directions for each weight range. Drafting into two or more lines may be appropriate, to avoid excessive overdosing. Correct drenching technique should be used. Check accuracy of drench guns regularly.

#### **PRECAUTIONS**

Do not use at the same time as any other selenised fertilizer, prill or product without consulting a veterinarian. Do not exceed stated dose volume and frequency. Do not use in lambs under 15kg or 4 weeks of age.

#### RESISTANCE

Resistance may develop to any anthelmintic. Ask your local veterinary practitioner or animal health advisor for recommended parasite management practices for your area to reduce development of resistance. It is advisable that a resistance test be conducted regularly when using any parasite treatment.

#### **EFFICACY**

Contains 1g/L abamectin a broad spectrum drench of the macrocyclic lactone group, 50g/L closantel (as sodium salt) a narrow spectrum salicylanilide drench and 0.5g/L **selenium** and 2.2~g/L cobalt. It has persistent activity up to 42~days against Barber's Pole (*Haemonchus contortus*).

At recommended doses, this product is effective against sensitive strains of the following mature and immature roundworms and liver fluke in sheep:

Barber's Pole - Haemonchus contortus Stomach hair worm - Trichostrongylus axei

Black scour worm - Trichostrongylus colubriformis and Trichostrongylus vitrinis Brown stomach worm - Teladorsagia circumcincta and Teladorsagia trifurcata

Small intestinal worm - Cooperia oncophora, Cooperia surnabada and Cooperia punctata

Thin-necked intestinal worm - Nematodirus spathiger

Liver fluke - Fasciola hepatica Lungworm - Dictyocaulus filaria

Do not use in lambs under 15kg or 4 weeks of age		
BODY WEIGHT	DOSE	20L
15kg	3ml	6666
16 to 20kg	4ml	5000
21 to 25kg	5ml	4000
26 to 30kg	6ml	3333
31 to 35kg	7ml	2857
36 to 40kg	8ml	2500
41 to 45kg	9ml	2222
46 to 50kg	10ml	2000
51 to 55kg	11ml	1818
56 to 60kg	12ml	1666
61 to 65kg	13ml	1538
66 to 70kg	14ml	1428
71 to 75kg	15ml	1333

#### **CONTAINS**

1g/L abamectin, 50g/L closantel and 15.7g/L cobalt disodium EDTA.

#### WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

**MEAT:** Sheep producing meat or offal for human consumption must not be sold for slaughter either during or within 56 days of the last treatment.

**MILK:** Milk intended for sale for human consumption must be discarded during treatment and for 56 days following the last treatment.

Registered pursuant to the HSNO Act 1996, HSR100758. See www.epa.govt.nz for approval conditions.

Registered pursuant to the ACVM Act 1997, No.A11501. See www.foodsafety.govt.nz/acvm/ for registration conditions.

Store at or below 25°C. Protect from light. Stability in cold temperatures has not been assessed. Discard unused product.

In transport emergency call 111, Police or Fire Brigade. For 24hr specialist advice in an emergency only call **0800 CHEMCALL (0800 243 622)**. If additional safety information is required, refer to the Safety Data Sheet (SDS). For a copy of the SDS contact Ravensdown on 0800 100 123.

Agrecovery is available on plastic containers up to 60L and for plastic or steel large drums from 61L - 1000L.

AGRECOVERY
www.agrecovery.co.nz

BATCH: