Safety Data Sheet



Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

| Product Name: | Nitrophoska Extra |
|---|--|
| Product Code: | 4600000 |
| Recommended Use: | Fertiliser |
| Restrictions of Use: | Refer to Section 15 |
| Company Identification: | Ravensdown Limited |
| Address: | 292 Main South Road, Hornby, Christchurch 8042 PO Box 1049, Christchurch 8011 |
| Customer Centre: | 0800 100 123 |
| National Poisons Information Centre: | 0800 POISON (0800 764 766) |
| Emergency Phone Number: | 0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only) |
| Transport Emergency Phone Number: | 111 - tell operator what service is needed: Fire, Ambulance or Police |
| Date of SDS Preparation | 13 August 2020 |

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

| EPA Approval No: | Fertilisers (subsidiary) – HSR002571 | |
|------------------|--------------------------------------|--|
| Pictograms: | <u>•</u> | |
| Signal Word: | Warning | |

| HSNO Classification | Hazard Code | Hazard Statement | GHS Category |
|----------------------------|-------------|--------------------------------|---------------|
| 6.4A | H319 | Causes serious eye irritation. | Eye Irrit. 2A |

| Prevention Code | Prevention Statement |
|------------------------|--|
| P103 | Read label before use. |
| P264 | Wash hands thoroughly after handling. |
| P280 | Wear protective clothing as detailed in Section 8. |

| Response Code | Response Statement | |
|------------------|--|--|
| P305 + P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and | |
| | easy to do. Continue rinsing. | |
| P337 + P313 | If eye irritation persists: Get medical advice/attention. | |

| Storage Code | Storage Statement |
|----------------|-------------------|
| None allocated | |

| Disposal Code | Disposal Statement |
|---------------|--------------------|
|---------------|--------------------|

P501 Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

| INGREDIENT | CAS No. | CONTENT |
|------------------|-----------|----------|
| Ammonium Nitrate | 6484-52-2 | 10 - 25% |

Section 4: FIRST AID MEASURES

| Routes of Exposure: | | |
|---|---|--|
| If in eyes: | Flush with plenty of water for several minutes, holding eyelids open if necessary. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention. | |
| If on skin: | Wash skin with plenty of water. If skin irritation occurs: Get medical advice/ attention. | |
| If ingested: | Never give anything by mouth to an unconscious person. Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. | |
| If inhaled: | Remove patient to fresh air. Keep at rest in comfortable position for breathing. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance if needed. | |
| Most important symptoms and effects, both acute and delayed | | |
| Symptoms: | | |
| Eyes: | Causes serious eye irritation. | |
| Skin: | Not applicable. | |
| Ingested: | Not applicable. | |
| Inhaled: | Not applicable. | |
| Chronic: | Not applicable. | |
| Notes to Doctor: | Treat symptomatically. | |

Section 5: FIRE FIGHTING MEASURES

| Hazard Type | Non Flammable |
|----------------------------------|---|
| Hazards from combustion products | Carbon monoxide. Carbon dioxide (CO2). Ammonia. Nitrogen oxides. |
| Suitable Extinguishing media | Water spray. |
| | Do not use: Carbon dioxide. extinguishing powder. Foam. |
| Precautions for firefighters | Do not attempt to take action without suitable protective equipment. Self-contained |
| and special protective | breathing apparatus. Complete protective clothing. |
| clothing | |
| HAZCHEM CODE | None allocated |

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear approved protective clothing as detailed in Section 8. Evacuate all non-essential personnel from affected area. Ensure adequate ventilation.

Environmental precautions:

Avoid release to the environment. Do not allow into drains or water courses.

Methods and material for containment and cleaning up:

Use mechanical handling equipment. Rinse off remainders with water. Dispose according to Section 13.

Section 7: HANDLING AND STORAGE

| Handling: | Read label before use. | | |
|-----------|--|--|--|
| | Wash hands thoroughly after handling. | | |
| | Wear protective clothing as detailed in Section 8. Do not eat, drink or smoke when using this product. Avoid dust formation. | | |
| | | | |
| | | | |
| | Ensure good ventilation of the work station. | | |
| | Wear personal protective equipment. Avoid contact with skin and eyes. | | |
| | | | |
| | Keep away from any flames or sparking source. | | |
| Storage: | Keep out of reach of children. | | |
| | Store in a well-ventilated place. Keep cool. | | |
| | Keep away from food, drink and animal feeding stuffs. Do not store with: Organic | | |
| | materials. | | |
| | Protect from moisture. | | |
| | Store away from heat. | | |

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL
Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

| ammonium nitrate (6484-52-2) | | |
|--|---------------------------|---|
| DNEL/DMEL (workers) | | |
| Long-term - systemic effects, dermal | 5.12 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 36 mg/m ³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 2.56 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 8.9 mg/m ³ | |
| Long-term - systemic effects, dermal | 2.56 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.45 mg/I | |
| PNEC aqua (marine water) | 0.045 mg/I | |
| PNEC aqua (intermittent, freshwater) | 4.5 mg/I | • |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 18 mg/I | |

| Engineering Controls: If dusts are generated use local extraction ventilation to control. |
|---|
|---|

Personal Protection Equipment:

| Eyes: | Chemical goggles. |
|--------------|---|
| Skin/Hands: | Wear suitable protective clothing. |
| Respiratory: | In case of insufficient ventilation, wear suitable respiratory equipment. Dust production: dust mask with filter type P1 |
| General: | Do not eat, drink or smoke when using this product. Do not breathe dust. Wash hands before breaks and after work. Avoid contact with skin and eyes. |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Granular |
|----------------------------------|---------------------------|
| Colour | Dark red |
| Odour | None to slight |
| Odour Threshold | Not available |
| рН | Ca 4 (100g/l @20°C) |
| Boiling Point | Not available |
| Melting Point | Not available |
| Freezing Point | Not available |
| Flash Point | Not available |
| Flammability | Product is not flammable. |
| Upper and Lower Explosive | Not available |
| Limits | |
| Vapour Pressure | Not available |
| Vapour Density | Not available |
| Bulk Density | Not available |
| Water Solubility | Soluble |
| Partition Coefficient: | Not available |
| Auto-ignition Temperature | Not available |
| Decomposition Temperature | > 130°C |
| Kinematic Viscosity | Not available |
| Particle Characteristics | Not available |

Section 10: STABILITY AND REACTIVITY

| Stability of Substance | Stable under normal conditions. | |
|--------------------------|---|--|
| Possibility of hazardous | No dangerous reactions known under normal conditions of use. | |
| reactions | | |
| Conditions to Avoid | Refer to Section 7 | |
| Incompatible Materials | Organic materials. | |
| Hazardous Decomposition | Under normal conditions of storage and use, hazardous decomposition products should | |
| Products | not be produced. | |

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

| Acute Lifetts. | |
|----------------|-------------------------------|
| Swallowed | Not applicable. |
| Dermal | Not applicable. |
| Inhalation | Not applicable. |
| Eye | Causes serious eye irritation |
| Skin | Not applicable. |

Chronic Effects:

| Carcinogenicity | Not applicable. |
|------------------------|-----------------|
| Reproductive Toxicity | Not applicable. |
| Germ Cell Mutagenicity | Not applicable. |
| Aspiration | Not applicable. |
| STOT/SE | Not applicable. |
| STOT/RE | Not applicable. |

Individual component information:

Acute Toxicity:

| Chemical Name | Oral – LD50 | Dermal – LD50 | Inhalation – LC50 |
|------------------------------|------------------|-------------------|---------------------|
| Ammonium Nitrate (6484-52-2) | 2950 mg/kg (rat) | >5000 mg/kg (rat) | >88.8 mg/I/4h (rat) |

Section 12: ECOLOGICAL INFORMATION

HSNO Classes: 9.1D= May cause long lasting harmful effects to aquatic life.

| Product: | | |
|-------------------------------|--|--|
| Persistence and degradability | The methods for determining the biological degradability are not applicable to inorganic | |
| | substances. | |
| Bioaccumulation | Bioaccumulation is unlikely. | |
| Mobility in Soil | No data available | |
| Other adverse effects | No data available | |

Individual component information (Please refer to www.epa.govt.co.nz for full details):

Ammonium Nitrate (6484-52-2)

| Route | Species | Duration | Value LC50/EC50 |
|--------------------|-------------------------------|----------|-----------------|
| EC50 Daphnia 1 | Daphnia Magna | 48 hr | >490 mg/L |
| EC50 other aquatic | Cyprinus carpio (Common carp) | 48 hr | 447 mg/L |
| organisms 1 | | 40 111 | |
| Aquatic, Algal | Algae | 10 d | 1700 mg/L |

Do not allow to enter waterways.

Section 13: DISPOSAL INFORMATION

| Disposal Method: | Collection into sealable containers and dispose of in an appropriate land fill. Reuse or recycle where possible. If practicable apply excess fertiliser at recommended rates to appropriate land. Observe any local authority restrictions that may apply. |
|----------------------------------|--|
| Container Disposal: | Rinse containers thoroughly prior to reuse. Otherwise render unusable and dispose of as waste. |
| Precautions or methods to avoid: | Do not allow to enter waterways. |

Section 14: TRANSPORT INFORMATION

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15: REGULATORY INFORMATION

| This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017 | | |
|---|------|--|
| EPA Approval Code: Fertilisers (subsidiary) – HSR002571 | | |
| HSNO Classification: | 6.4A | |

| HSW (HS) Regulations 2017 and EPA Notices | Trigger Quantity |
|---|------------------------------------|
| Certified Handler | Not required |
| Location Certificate | Not required |
| Tracking Trigger Quantities | Not required |
| Signage Trigger Quantities | Not required |
| Emergency Response Plan | Not required |
| Secondary Containment | Not required |
| Restriction of Use | Only use for the intended purpose. |

Section 16: OTHER INFORMATION

Glossary

EC₅₀ Median effective concentration.
 EEL Environmental Exposure Limit.
 EPA Environmental Protection Authority
 HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 13 August 2020 Review Date: 13 August 2025