# Safety Data Sheet



# Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	Selprill Double
Product Code:	0002510
Recommended Use:	Fertiliser Additive
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	13 August 2020

## Section 2: HAZARD IDENTIFICATION

#### This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	Fertilisers (Toxic [6.1]) – HSR002572
Pictograms:	
Signal Word:	DANGER

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1C (oral)	H301	Toxic if swallowed.	Acute Tox. 3
6.1D (inh)	H332	Harmful if inhaled.	Acute Tox. 4
6.1E (dermal)	H313	May be harmful in contact with skin.	Acute Tox. 5
6.3B	H316	Causes mild skin irritation.	Skin Irrit. 3
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.6B	H341	Suspected of causing genetic defects.	Muta. 2
6.9B	Н373	May cause damage to organs through prolonged or repeated exposure.	STOT RE 2
9.1B	H411	Toxic to aquatic life with long lasting effects.	Aquatic Chronic 2
9.2B	H422	Toxic to the soil environment.	-
9.3B	H432	Toxic to terrestrial vertebrates.	-

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.

Product Name: Seprill Double Date of SDS: 13 August 2020

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

# Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
TSP	65996-95-4	85-95%
Sodium Selenate	13410-01-0	1-5%
Barium Selenate	7787-41-9	1-5%

# Section 4: FIRST AID MEASURES

Routes of Exposure:	
If in eyes:	Flush with plenty of water for several minutes, holding eyelids open if necessary. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
If on skin:	In case of skin contact, immediately remove contaminated clothing. Neutralise with 10% sodium thiosulphate solution and wash affected areas with water and soap. If skin irritation occurs: Get medical advice/ attention.
If ingested:	Never give anything by mouth to an unconscious person. Rinse mouth but DO NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.
If inhaled:	Remove patient to fresh air. Keep at rest in comfortable position for breathing. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance if needed.
Most important symptoms	s and effects, both acute and delayed
Symptoms:	
Eyes:	Causes serious eye irritation.
Skin:	May be harmful if in contact with skin. Causes mild skin irritation.
Ingested:	Fatal if swallowed.
Inhaled:	Harmful if inhaled.
Chronic:	Suspected of causing genetic defects.

Product Name: Seprill Double Date of SDS: 13 August 2020

	May cause damage to organs through prolonged or repeated exposure.	
Notes to Doctor:	No specific antidote. Treat symptomatically.	

## Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion	Product is not flammable, but product close to fire should be removed if safe to do so.
products	
Suitable Extinguishing media	Water spray.
Precautions for firefighters	When fighting a major fire wear self-contained breathing apparatus and protective equipment.
and special protective	
clothing	
HAZCHEM CODE	2X

## Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

**Environmental precautions:** 

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and material for containment and cleaning up:

Stop leak if safe to do so and sweep granules into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation. Dispose according to Section 13.

## Section 7: HANDLING AND STORAGE

Handling:	Read label before use.
	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Do not breathe dust.
	Use of safe work practices are recommended to avoid eye or skin contact and inhalation of
	dust.
	Food, beverages and tobacco products should not be stored or consumed where this material is in use.
	Always wash hands before smoking, eating, drinking or using the toilet.
	Wash contaminated clothing and other protective equipment before storage or re-use.
	Provide eyewash fountains and safety showers in close proximity to points of potential
	exposure.
	Use only outdoors or in a well-ventilated area.
	Avoid release to the environment.
	Wear protective clothing as detailed in Section 8.
	Use personal protective equipment as required.
Storage:	Keep out of reach of children.
	Store locked up.
	Store in a cool, dry and well ventilated area.
	Keep container tightly closed when not in use.
	Protect from heat and moisture.
	Keep away from oxidising agents.
	When stored appropriately this product should show no significant degradation for at least
	3 years from the date of manufacture.

## Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

#### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA ppm mg/m³	STEL ppm mg/m³

#### No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11<sup>TH</sup> EDITION.

Engineering Controls:	Maintain air concentration below occupational exposure standards, providing adequate
	ventilation.

Personal Protection Eq	lipment:
Eyes:	Eye and face protectors for protection against splashing materials or liquids. See
	Australian/New Zealand Standard AS/NZS 1337 for more information.
Skin/Hands:	Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.
Respiratory:	Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Granular
Colour	Green
Odour	Superphosphate odour.
Odour Threshold	Not available
pH	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Product is not flammable.
Upper and Lower Explosive	Not available
Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	Not available
Water Solubility	Insoluble
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

# Section 10: STABILITY AND REACTIVITY

Stability of Substance	Stable at ambient temperature and under normal conditions of use.
Possibility of hazardous	Not available
reactions	
Conditions to Avoid	Heat and moisture.
Incompatible Materials	Oxidising agents.
Hazardous Decomposition	No hazardous decomposition products known.
Products	

## Section 11: TOXICOLOGICAL INFORMATION

#### Acute Effects:

Swallowed	Toxic if swallowed.
Dermal	May be harmful if in contact with skin.
Inhalation	Harmful if inhaled.
Eye	Causes serious eye irritation.
Skin	Causes mild skin irritation.

## **Chronic Effects:**

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Suspected of causing genetic defects.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated exposure.

### Individual component information:

Acute Toxicity:

Chemical Name	Oral – LD50	Dermal – LD50	Inhalation – LC50
Sodium Selenate (13410-01-0)	25 mg/kg (rat)	-	-

## Section 12: ECOLOGICAL INFORMATION

HSNO Classes:

9.1B= Toxic to aquatic life with long lasting effects.

9.2B= Toxic to the soil environment.

9.3B= Toxic to terrestrial vertebrates.

Product:	
Persistence and degradability	No data available
Bioaccumulation	Bioaccumulation is not expected to occur.
Mobility in Soil	No data available
Other adverse effects	No data available

#### Individual component information (Please refer to www.epa.govt.co.nz for full details): Sodium Selenate (13410-01-0

Route	Species	Duration	Value LC50/EC50
Acute aquatic, fish	Pimephales promelas Fathead minnow	96 hr	0.69 mg/L
Chronic aquatic, fish	Pimephales promelas Fathead minnow	32 day	0.39 mg/L
aquatic, Crustacean	Gammarus pseudolimnaeus Scud	48 hr	0.083 mg/L
Aquatic, Algal	Selenastrum capricornutum Green algae	96 hr	0.2 mg/L
Bioaccumulative	Yes		
Rapidly Degradable	No		

Do not allow to enter waterways.

## Section 13: DISPOSAL INFORMATION

Disposal Method:	Collection into sealable containers and dispose of in an appropriate authorized land fill.
Bud at New Conditions the	

	Reuse or recycle where possible. If practicable apply excess fertiliser at recommended rates to appropriate land. Observe any local authority restrictions that may apply.
Container Disposal:	Rinse containers thoroughly prior to reuse. Otherwise render unusable and dispose of as
	waste.
Precautions or methods to avoid:	Do not allow to enter waterways.

## Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2012



#### Road, Rail, Sea and Air Transport

UN No	3288
Class - Primary	6
Packing Group	11
Proper Shipping Name	TOXIC SOLID, INORGANIC, N.O.S (Sodium Selenate)
Marine Pollutant	Yes
Special Provisions	If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

## Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017	
EPA Approval Code:	Fertilisers (Toxic [6.1]) – HSR002572
HSNO Classification:	6.1C(oral),6.1D(inh), 6.1E(dermal), 6.3B, 6.4A, 6.6B, 6.9B, 9.1B, 9.2B, 9.3B

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000kg (6.1C, 9.1B)
Emergency Response Plan	100kg (6.1C)
Secondary Containment	100kg (6.1C)
Restriction of Use	Only use for the intended purpose.

# Section 16: OTHER INFORMATION

Glossary	
----------	--

EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

#### References:

Product Name: Seprill Double Date of SDS: 13 August 2020

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date:

13 August 2020

Review Date:

13 August 2025