Safety Data Sheet



Inspire

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

| Product Name: | Inspire |
|--------------------------------------|--|
| Product Code: | 7907089 (10 Litres) |
| Recommended Use: | A strobilurin fungicide for the control of a wide range of diseases in wheat, barley, ryegrass seed crops, peas, onions, potatoes, maize and sweetcorn, grapes, field tomatoes and turf. |
| Restrictions of Use: | Refer to Section 15 |
| Company Identification: | Ravensdown Limited |
| Address: | 292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011 |
| Customer Centre: | 0800 100 123 |
| National Poisons Information Centre: | 0800 POISON (0800 764 766) |
| Emergency Phone Number: | 0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only) |
| Transport Emergency Phone Number: | 111 - tell operator what service is needed: Fire, Ambulance or Police |
| Date of SDS Preparation | 30 May 2022 |
| | |

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

| EPA Approval No: | | HSR100559 | |
|---------------------|---|--|---------------------|
| Pictograms: | | | |
| Signal Word: | | Warning | |
| HSNO Classification | Hazard Code | Hazard Statement | GHS Category |
| 6.1D (inh) | H332 | Harmful if inhaled. | Acute Tox. 4 |
| 6.9B | H373 | May cause damage to organs through prolonged or repeated exposure. | STOT RE 2 |
| 9.1B | H411 | Toxic to aquatic life with long lasting effects. | Aquatic Chronic 2 |
| Prevention Code | Prevention Sta | atement | |
| P102 | Keep out of reach of children. | | |
| P103 | Read label before use. | | |
| P260 | Do not breathe mist, vapour or fumes. | | |
| P271 | Use only outdoors or in a well-ventilated area. | | |
| P273 | Avoid release to the environment. | | |
| Response Code | Response Stat | tement | |
| P101 | If medical advice is needed, have product container or label at hand. | | |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell. | | |
| P391 | Collect spillage | Collect spillage. | |
| P304 + P340 | IF INHALED: R | emove to fresh air and keep at rest in a position comforta | able for breathing. |
| Storage Code | Storage State | ment | |
| None allocated | | | |
| Disposal Code | Disposal State | ement | |
| P501 | Dispose of acc | ording to Local Regulations or Authorities | |

Section 3: COMPOSITION INFORMATION

| INGREDIENT | CAS No. | CONTENT |
|-------------------------|-------------|---------|
| Azoxystrobin | 131860-33-8 | 25% |
| Non hazardous materials | | To bal |

Section 4: FIRST AID MEASURES

| Routes of Exposure: | |
|----------------------|---|
| If in eyes: | Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. |
| If on skin: | Remove contaminated clothing and wash affected area thoroughly with soap and water. If a large area is affected seek medical assistance. |
| If ingested: | Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately. |
| If inhaled: | Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately. |
| Most important sympt | oms and effects, both acute and delayed |
| Symptoms: | |
| Eyes: | Not applicable. |
| Skin: | Not applicable. |
| Ingested: | Not applicable. |
| Inhaled: | Harmful if inhaled. |
| Chronic: | May cause damage to organs (oral) through prolonged or repeated exposure. |
| Notes to Doctor: | Treat symptomatically. |

Section 5: FIRE FIGHTING MEASURES

| <i>/</i> · | Non Flammable |
|---|---|
| Hazards from combustion products | If involved in a fire, may evolve fumes of carbon monoxide, carbon dioxide, hydrogen fluoride, nitrogen oxides. |
| Suitable Extinguishing media | Water spray, foam, carbon dioxide or dry chemical |
| Precautions for firefighters and special protective clothing | Full protective clothing and self-contained breathing apparatus. |
| HAZCHEM CODE | 2X |

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

| Handling: | Read label before use. |
|-----------|---|
| | Avoid contact with skin, eyes and inhalation of spray mist. |
| | Do not breathe mist, vapour or fumes. |
| | Use only outdoors or in a well-ventilated area. |
| | Avoid release to the environment. |
| | Use personal protective equipment as required. |
| Storage: | Keep out of reach of children. |
| | Store away from incompatible materials listed in Section 10. |
| | Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser and seed. |
| | Store in accordance with NZS 8409 Management of Agrichemicals |
| | This product is subject to signage and secondary containment when stored in quantities of 1000L or |
| | more, either alone or in aggregate with substances of the same hazard classification. More than 1000 |
| | litres require emergency response plans. For full details refer to NZS 8409 Management of |
| | Agrichemicals and HSNO Regulations (Emergency Management and Identification Regulations). |

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

| | TWA | STEL |
|-----------|-----------|-----------|
| Substance | ppm mg/m³ | ppm mg/m³ |

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

| Engineering | Handle in well ventilated area, natural ventilation is normally adequate. Avoid inhalation of spray mist. |
|-------------|---|
| Controls: | |

| Personal Protection Ed | quipment: |
|------------------------|---|
| Eyes: | When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles. |
| Skin/Hands: | When opening the container, preparing spray and when contact with concentrate or solution is likely, wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots. |
| Respiratory: | Handle in well ventilated area, natural ventilation is normally adequate. Avoid inhalation of spray mist. |
| General: | Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work. |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Liquid |
|----------------------------------|-----------------------------|
| Colour | Off-white |
| Odour | Slight aromatic odour |
| Odour Threshold | Not available |
| рН | 5 - 8 |
| Boiling Point | Not available |
| Melting Point | Not available |
| Freezing Point | Not available |
| Flash Point | Not available |
| Flammability | Not flammable |
| Upper and Lower Explosive Limits | Not available |
| Vapour Pressure | Not available |
| Vapour Density | Not available |
| Specific Gravity | 1.02 - 1.08 |
| Water Solubility | Disperses in water |
| Partition Coefficient: | Not available |
| Auto-ignition Temperature | Not available |
| Decomposition Temperature | Not available |
| Kinematic Viscosity | Not available |
| Particle Characteristics | Not available |
| Other information | (SC) Suspension concentrate |

Section 10: STABILITY AND REACTIVITY

| Stability of Substance | When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. |
|------------------------------------|---|
| Possibility of hazardous reactions | Not available |
| Conditions to Avoid | None known. |
| Incompatible Materials | Avoid contact with strong acids and oxidising agents. |
| Hazardous Decomposition Products | If involved in a fire, may evolve fumes of carbon monoxide, carbon dioxide, hydrogen |
| | fluoride, nitrogen oxides. |

Section 11: TOXICOLOGICAL INFORMATION

| Swallowed | Not applicable. LD ₅₀ (rat) >5000 mg/kg. Amounts swallowed incidental to normal handling are unlikely |
|------------|--|
| | to cause injury. Large amounts swallowed may cause injury. |
| Dermal | Not applicable. LD ₅₀ (rabbit) >4000mg/kg. |
| Inhalation | Harmful if inhaled. LC ₅₀ (rat) (4hr) >5mg/l |
| Eye | Not applicable. |
| Skin | Not applicable. |

| Chronic Effects: | |
|------------------------------|--|
| Carcinogenicity | Not applicable. |
| Reproductive Toxicity | Not applicable. |
| Germ Cell Mutagenicity | Not applicable. |
| Aspiration | Not applicable. |
| STOT/SE | Not applicable. |
| STOT/RE | May causes damage to organs (oral) through repeated or prolonged exposure. |

Azoxystrobin has been extensively tested on laboratory animals. There has been no evidence of mutagenic, neuorotoxic, carcinogenic, teratogenic or reproductive effects

Section 12: ECOLOGICAL INFORMATION

| HSNO Classes: | 9.1B = Toxic to aquatic life with long lasting effects. |
|---------------|---|
|---------------|---|

| Prod | uct: |
|------|------|
| | |

| Persistence and d | legradability | Rapidly degrades and has low mobility in soils. |
|--|--------------------------|--|
| Bioaccumulation B | | Bioaccumulation potential for epoxiconazole is low. |
| Mobility in Soil | | No data available. |
| Other adverse effects Avoid unintended release into streams and waterways. | | Avoid unintended release into streams and waterways. |
| Ecotoxicity: | LC₅₀ (rainl Acute Tox | kicity (fish) bow trout) (96hr) 2.4mg/L kicity (daphnia) r) 1.8mg/L |

| Disposal Method: | | Triple rinse container and add rinsate to the spray tank. |
|----------------------------------|------------|---|
| | | Dispose of product only by using in accordance with label directions, or through Agrecovery |
| | | Chemical Recovery Service or alternative approved programs. |
| Container Disposal: | | Triple rinsed containers containing the Agrecovery logo on the label and that are free of all |
| | | residues and have an intact legible label may be taken to an Agrecovery collection site for |
| | | free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use |
| | AGRECOVERY | container for any other purpose. |
| Precautions or methods to avoid: | | Do not allow product or empty container to contaminate any waterway. |

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

| Noau, Naii, Sea anu An Transpor | <u>L</u> |
|---------------------------------|---|
| UN No | 3082 |
| Class - Primary | 9 |
| Packing Group | III |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (azoxystrobin 25%) |
| Marine Pollutant | Yes |
| Special Provisions | If the product's individual container is below 5L, it can be transported as a non-DG as long as |
| | the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG. |

Section 15: REGULATORY INFORMATION

| EPA Approval Code: | HSR100559 | |
|------------------------------------|-----------------|--|
| HSNO Classification: | 6.1D(inh), 6.9 | 9B (oral), 9.1B |
| HSW (HS) Regulations 2017 | | Trigger Quantity |
| Signage Trigger Quantities (Sched | ule 3) | 1000kg (9.1B) |
| Emergency Response Plan (Sched | ule 5) | 1000kg (9.1B) |
| Secondary Containment (Schedule 5) | | 1000kg (9.1B) |
| Tracking (Schedule 26) | | Not required |
| Certified Handlers | | Not required |
| HSNO Additional Controls (Restr | ctions of use) | |
| 77A - | | The substance must not be applied onto or into water. |
| Hazardous Property Controls Not | tice 2017 | |
| HPC Notice Part 4 Clause 47 | | Equipment for class 9 substances must be appropriate |
| HPC Notice Part 4 Clause 48 | | Records of application of class 9 pesticides and plant growth regulators |
| HPC Notice Part 4 Subpart A | | Site and storage controls for class 9 substances |
| HPC Notice Part 3 | | Hazardous substances in a place other than a workplace. |
| ACVM Act and Regulations | | |
| See www.foodsafety.govt.nz.for.r | egistration con | nditions P8573 |

See <u>www.foodsafety.govt.nz</u> for registration conditions **P8573**

Section 16: OTHER INFORMATION

Glossary

| EC50 | Median effective concentration. |
|------------------|---|
| EEL | Environmental Exposure Limit. |
| EPA | Environmental Protection Authority |
| HSNO | Hazardous Substances and New Organisms. |
| HSW | Health and Safety at Work. |
| LC ₅₀ | Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it. |
| LD ₅₀ | Lethal dose to kill 50% of test animals/organisms. |
| LEL | Lower explosive level. |
| OSHA | American Occupational Safety and Health Administration. |
| TEL | Tolerable Exposure Limit. |
| TLV | Threshold Limit Value-an exposure limit set by responsible authority. |
| UEL | Upper Explosive Level |
| WES | Workplace Exposure Limit |
| | |

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

| Issue Date: 30 May 2022 Review Date: 12 Octo | ober 2025 |
|--|-----------|
|--|-----------|