


Multiple

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	Multiple
Product Code:	7951088 (5 Litres) 7951090 (20 Litres)
Recommended Use:	Selective herbicide for the control of thistles and certain broadleaf weeds in a wide range of use situations.
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	30 May 2022

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	HSR000760
Pictograms:	
Signal Word:	Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
9.1B	H411	Toxic to aquatic life with long lasting effects.	Aquatic Chronic 3
9.2A	H421	Very toxic to the soil environment.	-
9.3C	H433	Harmful to terrestrial vertebrates.	-

Prevention Code	Prevention Statement
P103	Read label before use.
P273	Avoid release to the environment.

Response Code	Response Statement
P391	Collect spillage.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
Clopyralid	1702-17-6	30%
Monoethanolamine	141-43-5	<10%
Non-hazardous ingredients		To bal

Section 4: FIRST AID MEASURES

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
If on skin:	Take off contaminated clothing. Wash affected area thoroughly with soap and water. If skin irritation occurs: Get medical advice/ attention.
If ingested:	Rinse mouth. Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important symptoms and effects, both acute and delayed	
Symptoms:	Please refer to Section 11 for full details and symptoms.
Eyes:	Causes serious eye irritation.
Skin:	Not applicable.
Ingested:	Not applicable.
Inhaled:	Not applicable.
Chronic:	Not applicable.
Notes to Doctor:	No specific antidote. Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire may evolve noxious fumes.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and special protective clothing	Full protective clothing and self-contained breathing apparatus.
HAZCHEM CODE	3Z

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	<p>Read label before use. Avoid contact with skin, eyes and inhalation of spray mist. Avoid release to the environment. Wear protective clothing as detailed in Section 8. Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept where more than 3lt of this product is used within 24hrs in a place where the pesticide is likely to enter air or water and leave the place.</p>
Storage:	<p>Keep out of reach of children. Store away from incompatible materials listed in Section 10. Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser, seed. Store in accordance with NZS 8409 Management of Agrichemicals. This product is subject to signage and secondary containment when stored in quantities of 1000litres or more, either alone or in aggregate with substances of the same hazard classification. More than 1000litres requires emergency response plans. For full details refer to NZS 8409 Management of Agrichemicals and HSWA Regulations.</p>

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Ethanolamine (2-Aminoethanol) [141-43-5]	3	7.5	6	15

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

Engineering Controls:	Handle in well-ventilated area. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.
------------------------------	---

Personal Protection Equipment:



Eyes:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles.
Skin/Hands:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.
Respiratory:	Wear respiratory protection in areas of poor ventilation.
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Colour	Clear, brown
Odour	Faint amine odour
Odour Threshold	Not available
pH	7.5 – 9.0
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Non Flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Density	1.15
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available
Other information	(SL) Soluble concentrate

Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture.
Possibility of hazardous reactions	Not available
Conditions to Avoid	None known.
Incompatible Materials	Avoid contact with strong acids, alkalis and oxidising agents.
Hazardous Decomposition Products	None known.

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Swallowed	Not triggered. LD ₅₀ (rat) >5000mg/kg for similar formulation
Dermal	Not triggered. LD ₅₀ (rat) >2000mg/kg
Inhalation	Not triggered. LC ₅₀ (rat) (4hr) >0.38mg/l for clopyralid
Eye	Not triggered.
Skin	Not triggered.

Chronic Effects:

Carcinogenicity	Not triggered.
Reproductive Toxicity	Not triggered.
Germ Cell Mutagenicity	Not triggered.
Aspiration	Not triggered.
STOT/SE	Not triggered.
STOT/RE	Not triggered.

Section 12: ECOLOGICAL INFORMATION

HSNO Classes: 9.1B = Toxic to aquatic life with long lasting effects.
 9.2A = Very toxic to the soil environment.
 9.3C = Harmful to terrestrial vertebrates.

Product:

Persistence and degradability/Mobility	Potential for mobility as clopyralid is only weakly adsorbed by the soil. Microbial degradation is the major cause of loss from the soil. Half-life in soil is typically 12-86 days. Degradation is slower in cold temperatures and dry soils.
Bioaccumulation	No data available.
Other adverse effects	Avoid unintended release into streams and waterways.

Ecotoxicity:

Acute Toxicity (fish) (clopyralid)

LC₅₀ (bluegill sunfish) (96hr) 125.4mg/L

LC₅₀ (rainbow trout) (96hr) 103.5mg/L

Acute Toxicity (daphnia)

EC₅₀ (48hr) 225mg/L

Toxic to fish and other aquatic organisms

Acute Toxicity (birds)

LD₅₀ (bobtail quail) >2000mg/kg


Non-toxic to birds

Acute Toxicity (bees)

LD₅₀ >100ug/bee

Non-toxic to bees

Section 13: DISPOSAL INFORMATION

Disposal Method:	Triple rinse container and add rinsate to the spray tank. Dispose of product only by using in accordance with label directions, or through Agrecovery Chemical Recovery Service or alternative approved programs.
Container Disposal:	 Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.
Precautions or methods to avoid:	Do not allow product or empty container to contaminate any waterway.

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Liquid, N.O.S. (Clopyralid 30%)
Marine Pollutant	Yes
Hazchem Code	3Z
Special Provisions	If the product's individual container is below 5L it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR000760

HSNO Classification: 9.1B, 9.2A, 9.3C

HSW (HS) Regulations 2017	Trigger Quantity
Signage Trigger Quantities (Schedule 3)	100L (9.2A)
Emergency Response Plan (Schedule 5)	1000L (9.1B)
Secondary Containment (Schedule 5)	1000L (9.1B)
Tracking (Schedule 26)	Not required
Certified Handlers	Not required
Location Certificate	Not required
HSNO Additional Controls (Restrictions of use)	
77A -	The substance must not be applied onto or into water.
77A - A restriction has been placed on the sale of this product.	The person in charge of a place where the substance is sold may sell the substance to a person only if he or she has received confirmation that there is a qualified person at the place where the substance is to be used.
Hazardous Property Controls Notice 2017	
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
HPC Notice Part 4 Subpart C	Qualifications required for application of class 9 pesticides
HPC Notice Part 3	Hazardous substances in a place other than a workplace
ACVM Act and Regulations	
See www.foodsafety.govt.nz for registration conditions	P7105

Section 16: OTHER INFORMATION

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 30 May 2022

Review Date: 27 November 2025