Safety Data Sheet



Purge

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name: Purge

Product Code: 7964088 (5 Litres)

Recommended Use: Selective herbicide for the control of broadleaf weeds in fodder brassicas.

Restrictions of Use: Refer to Section 15

Company Identification: Ravensdown Limited

Address: 292 Main South Road, Hornby, Christchurch, 8042

PO Box 1049, Christchurch 8011

Customer Centre: 0800 100 123

National Poisons Information Centre: 0800 POISON (0800 764 766)

Emergency Phone Number: 0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)

Transport Emergency Phone Number: 111 - tell operator what service is needed: Fire, Ambulance or Police

Date of SDS Preparation 31 May 2022

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	HSR000762
Pictograms:	! ¥2
Signal Word:	Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.1C	H412	Harmful to aquatic life with long lasting effects.	Aquatic Chronic 3
9.2A	H421	Very toxic to the soil environment.	-
9.3C	H433	Harmful to terrestrial vertebrates.	-

Prevention Code	Prevention Statement	
P103	Read label before use.	
P264	Wash hands thoroughly after handling.	
P273	Avoid release to the environment.	
P280	Wear protective clothing as detailed in Section 8.	

Response Code	Response Statement
P391	Collect spillage.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Product Name: **Purge**SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 31 May 2022
Tel: 64 9 475 5240 www.techcomp.co.nz

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
Picloram	1918-02-1	15%
Clopyralid	1702-17-6	23%
Other ingredients		To bal

Section 4: FIRST AID MEASURES

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on skin:	Take off contaminated clothing. Wash affected area thoroughly with soap and water. If skin irritation
	occurs: Get medical advice/ attention.
If ingested:	Rinse mouth. Never give anything by mouth to an unconscious person. If swallowed DO NOT induce
	vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek
	medical assistance immediately.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has
	stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important sym	ptoms and effects, both acute and delayed
Symptoms:	Please refer to Section 11 for full details and symptoms.
Eyes:	Causes serious eye irritation.
Skin:	Not applicable.
Ingested:	Not applicable.
Inhaled:	Not applicable.
Chronic:	Not applicable.
Notes to Doctor:	No specific antidote. Treat symptomatically with supportive care

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire may evolve toxic fumes.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and	Full protective clothing and self-contained breathing apparatus.
special protective clothing	
HAZCHEM CODE	None allocated

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	Read label before use.
	Avoid contact with skin, eyes and inhalation of spray mist.
	Wash hands thoroughly after handling.
	Avoid release to the environment.
	Wear protective clothing as detailed in Section 8.
	Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept.
Storage:	Keep out of reach of children.
	Store away from incompatible materials listed in Section 10.
	Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs,
	fertiliser, seed.
	Store in accordance with NZS 8409 Management of Agrichemicals. This product is subject to signage
	and secondary containment when stored in quantities of 100litres or more, either alone or in
	aggregate with substances of the same hazard classification. More than 100litres requires emergency
	response plans. For full details refer to NZS 8409 Management of Agrichemicals and HSWA
	Regulations (Emergency Management and Identification Regulations).

Product Name: **Purge**SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 31 May 2022
Tel: 64 9 475 5240 www.techcomp.co.nz

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Kinematic Viscosity

Other information

Particle Characteristics

TWA STEL Substance ppm mg/m³ ppm mg/m³ Picloram [1918-02-1]

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

Engineering Handle in well-ventilated area. Use process enclosures, local exhaust ventilation, or other engineering **Controls:** controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.

Personal Protection Equipment:	
Eyes:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles.
Skin/Hands:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.
Respiratory:	Wear respiratory protection in areas of poor ventilation.
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES Appearance Liquid Colour Clear, hazy brown Odour Amine type odour Not available **Odour Threshold** рΗ 6.0 - 8.0**Boiling Point** Not available **Melting Point** Not available **Freezing Point** Not available **Flash Point** Not available **Flammability** Non Flammable **Upper and Lower Explosive Limits** Not available **Vapour Pressure** Not available **Vapour Density** Not available 1.195 Density **Water Solubility** Mixes readily **Partition Coefficient:** Not available **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available

Section 10: STABILITY AND REACTIVITY	
Stability of Substance	When stored appropriately this product should show no significant degradation for
	2 years from the date of manufacture.
Possibility of hazardous reactions	Not available
Conditions to Avoid	None known.
Incompatible Materials	Avoid contact with strong acids and strong alkalis.
Hazardous Decomposition Products	None known.

Not available

Not available

Soluble concentrate

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Product Name: Purge Date of SDS: 31 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 3 of 5

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

CII d	N		
Swallowed Not triggered. LD ₅₀ (rat) >5000mg/kg			
Dermal	Not triggered. LD ₅₀ (rat) >2000mg/kg		
Inhalation	Not triggered.		
Eye	Causes severe eye irritation.		
Skin	Not triggered.		

Chronic Effects:

Carcinogenicity	Not triggered.
Reproductive Toxicity	Not triggered.
Germ Cell Mutagenicity	Not triggered.
Aspiration	Not triggered.
STOT/SE	Not triggered.
STOT/RE	Not triggered.

Section 12: ECOLOGICAL INFORMATION

HSNO Classes: 9.1C = Harmful to aquatic life with long lasting effects.

> 9.2A = Very toxic to the soil environment. 9.3C = Harmful to terrestrial vertebrates.

Product:

Persistence and	No data available.	
degradability/Mobility		
Bioaccumulation	No data available.	
Other adverse effects	verse effects Avoid unintended release into streams and waterways.	

Section 13: DISPOSAL INFORMATION

Disposal Method:	Triple rinse container and add rinsate to the spray tank. Dispose of product only by using in accordance with label directions, or through Agrecovery Chemical Recovery Service or alternative approved programs.	
Container Disposal:	Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.	
Precautions or methods to avoid	: Do not allow product or empty container to contaminate any waterway.	

Section 14: TRANSPORT INFORMATION

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017		
EPA Approval Code:	HSR000762	
HSNO Classification:	64A 91C 92A 93C	

HSW (HS) Regulations 2017	Trigger Quantity		
Signage Trigger Quantities (Schedule 3)	100L (9.2A)		
Emergency Response Plan (Schedule 5)	1000L (9.1C)		
Secondary Containment (Schedule 5)	1000L (9.1C)		
Tracking (Schedule 26)	Not required		
Certified Handlers	Not required		
Location Certificate	Not required		
HSNO Additional Controls (Restrictions of 	use)		
77A -	The substance must not be applied onto or into water.		
77A - A restriction has been placed on the	The person in charge of a place where the substance is sold may sell the		
sale of this product	substance to a person only if he or she has received confirmation that there is		
	an qualified person at the place where the substance is to be used.		

Product Name: Purge SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 31 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page **4** of **5**

Hazardous Property Controls Notice 2017				
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate			
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators			
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances			
HPC Notice Part 4 Subpart C	Qualifications required for applications of class 9 pesticides.			
HPC Notice Part 3	Hazardous sı	ubstances in a place other than a workplace.		
ACVM Act and Regulations				
See <u>www.foodsafety.govt.nz</u> for registration conditions		P7946		

Section 16: OTHER INFORMATION

Glossary

EC50 Median effective concentration. EEL Environmental Exposure Limit. **EPA Environmental Protection Authority HSNO** Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it. LC50

LD50 Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- EPA Hazardous Substances (Safety Data Sheets) Notice 2017 1.
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- Assigning a hazardous substance to a HSNO Approval (Aug 2013). 3.
- 4 Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 31 May 2022 Review Date: 27 November 2025

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Product Name: Purge Date of SDS: 31 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5 of 5