Safety Data Sheet



Assist Foam Marker

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name: ASSIST FOAM MARKER

Product Code: 7983088 (5 Litres) 7983090 (20 Litres)

Recommended Use: Foam generating surfactant for use as a bout marker

Restrictions of Use: Refer to Section 15

Company Identification: Ravensdown Limited

Address: 292 Main South Road, Hornby, Christchurch, 8042

PO Box 1049, Christchurch 8011

Customer Centre: 0800 100 123

National Poisons Information Centre: 0800 POISON (0800 764 766)

Emergency Phone Number: 0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)

Transport Emergency Phone Number: 111 - tell operator what service is needed: Fire, Ambulance or Police

Date of SDS Preparation 26 May 2022

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	Additives, Process Chemicals and Raw Materials – HSR002503	
Pictograms:	<u>(!</u>)	
Signal Word:	Warning	

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.1D	H402	Harmful to aquatic life.	Aquatic Chronic 4

Prevention Code	Prevention Statement	
P103	Read label before use.	
P264	Wash hands thoroughly after handling.	
P273	Avoid release to the environment.	
P280	Wear protective clothing as detailed in Section 8.	

Response Code	Response Statement	
P362	Take off contaminated clothing and wash before re-use.	
P302 + P352	02 + P352 IF ON SKIN: Wash with plenty of soap and water.	
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P332 + P313 If skin irritation occurs: Get medical advice/ attention.		
P337 + P313	If eye irritation persists: Get medical advice/attention.	

St	orage Code	Storage Statement
No	one allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Product Name: Assist Foam Marker Date of SDS: 26 May 2022 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Section 3: COMPOSITION INFORMATION INGREDIENT CAS No. CONTENT Lethor Sulfato CASS A 2 CASS

INGREDIENT	CAS No.	CONTENT
Sodium Lauryl Ether Sulfate	68585-34-2	<40%
Ingredients not considered hazardous		To Volume

Section 4: FIRST AID MEASURES

Routes of Exposure:		
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
If on skin:	Remove contaminated clothing and wash affected area thoroughly with soap and water. If a large area is affected seek medical assistance.	
If ingested:	Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.	
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.	
Most important symp	toms and effects, both acute and delayed	
Symptoms:		
Eyes:	Causes serious eye irritation.	
Skin:	Causes skin irritation.	
Ingested:	Not applicable.	
Inhaled:	Not applicable.	
Chronic:	Not applicable.	
Notes to Doctor:	No specific antidote. Treat symptomatically.	

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable	
Hazards from combustion products	If involved in a fire, may evolve carbon monoxide, carbon dioxide, oxides of sulfur.	
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.	
Precautions for firefighters and special	Full protective clothing and self-contained breathing apparatus.	
protective clothing		
HAZCHEM CODE	None allocated	

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of waste safely in an approved landfill. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	Read label before use.
	Avoid contact with skin, eyes and inhalation of spray mist.
	Wash hands thoroughly after handling.
	Avoid release to the environment.
	Wear protective clothing as detailed in Section 8.
	Record Keeping: Records of use in accordance with NZS 8409 Management of Agrichemicals must be
	kept.
Storage:	Keep out of reach of children.
	Store away from incompatible materials listed in Section 10.
	Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser and seed.
	Store in accordance with NZS 8409 Management of Agrichemicals
	This product is subject to signage and secondary containment when stored in quantities of 10000litres or more, either alone or in aggregate with substances of the same hazard classification. More than
	10000litres require emergency response plans. For full details refer to NZS 8409 Management of
	Agrichemicals and HSWA Regulations.

Product Name: Assist Foam Marker Date of SDS: 26 May 2022

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

Engineering Controls: Handle in well ventilated area. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.

Personal	Protection	Equipment:	









When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles. Skin/Hands: When opening the container, preparing spray and when contact with concentrate or solution is likely, wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots. Respiratory: General: Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

face before meals and after work. Wash protective clothing daily after work.

Appearance	Liquid
Colour	Clear
Odour	Slight sweetish odour
Odour Threshold	Not available
рН	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.01
Bulk Density	Not available
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available
Other information	Water based solution of organic compounds

Section 10: STABILITY AND REACTIVITY

Stability of Substance When stored appropriately this product should show no significant degradation for 2 years

from the date of manufacture.

Possibility of hazardous reactions

Not available **Conditions to Avoid** None known.

Incompatible Materials Strong acids, alkalis and oxidising agents.

Hazardous Decomposition

Products

None known. Refer to Section 5.

Product Name: Assist Foam Marker SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Swallowed	Amounts swallowed incidental to normal handling are unlikely to cause injury. Large amounts	
	swallowed may cause injury. Symptoms may include: nausea, vomiting, gastrointestinal discomfort and	
	diarrhoea.	
Dermal	Not applicable.	
Inhalation	No adverse effects are to be expected under normal use. When applying this product avoid inhalation of spray mist. Some temporary irritation to the respiratory tract may be experienced if high concentrations are inhaled.	
Eye	Causes serious eye irritation.	
Skin	The concentrate may cause skin irritation. Prolonged contact may cause defatting of the skin and may result in dermatitis.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12: ECOLOGICAL INFORMATION

HSNO Classes: 9.1D = Harmful to aquatic life.

Product:

Persistence and degradability/Mobility	No data available
in Soil	
Bioaccumulation	No data available
Other adverse effects	Avoid unintended release into streams and waterways.

Section 13: DISPOSAL INFORMATION

Disposal Method:	Triple rinse container and add rinsate to the spray tank.
	Dispose of product only by using in accordance with label directions, or through Agrecovery
	Chemical Recovery Service or alternative approved programs.
Container Disposal:	Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.
Precautions or methods to av	Did: Do not allow product or empty container to contaminate any waterway.

Section 14: TRANSPORT INFORMATION

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017				
EPA Approval Code:	Additives, Process Chemicals and Raw Materials – HSR002503			
HSNO Classification:	6.3A, 6.4A, 9.1D			
HSW (HS) Regulations 2017	Trigger Quantity			
Signage Trigger Quantities (Schedule 3)	10 000L (9.1D)			
Emergency Response Plan (Schedule 5)	10 000L (9.1D)			
Secondary Containment (Schedule 5)	10 000L (9.1D)			
Tracking (Schedule 26)	Not required			
Certified Handlers	Not required			
HSNO Additional Controls (Restrictions of use)				
	None known.			
ACVM Act and Regulations				
See www.foodsafety.govt.nz for	N/A			
registration conditions				

Product Name: Assist Foam Marker

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 26 May 2022

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 16: OTHER INFORMATION

Glossary

EC₅₀ Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 26 May 2022 Review Date: 14 September 2025

Product Name: Assist Foam Marker Date of SDS: 26 May 2022 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz