


Collaborate Spray Oil

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	Collaborate Spray Oil
Product Code:	7986089 (10L)
Recommended Use:	Crop Oil
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	26 May 2022

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	Additives, Process Chemicals and Raw Materials (subsidiary) -HSR002503
Pictograms:	
Signal Word:	DANGER

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.1E (asp)	H304	May be fatal if swallowed and enters airways.	Asp. Tox. 1
6.3B	H316	Causes mild skin irritation.	Skin Irrit. 3
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.3C	H433	Harmful to terrestrial vertebrates.	-

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective equipment as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P331	Do NOT induce vomiting.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
Base Petroleum Oil	8012-95-1	80-85%
Linear ethoxylate	68002-97-1	15-20%

Section 4: FIRST AID MEASURES

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If ingested:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important symptoms and effects, both acute and delayed	
Symptoms:	
Eyes:	Causes serious eye irritation.
Skin:	Causes mild skin irritation.
Ingested:	May be harmful if swallowed. May be fatal if swallowed and enters airways.
Inhaled:	Not applicable.
Chronic:	Not applicable.
Notes to Doctor:	Treat symptomatically. If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	Carbon monoxide and asphyxiants. Can be dangerous when exposed to extreme heat and flame. Do not breathe vapor/ mist/spray.
Suitable Extinguishing media	Water Spray, Foam solution, CO ₂ , dry chemical.
Precautions for firefighters and special protective clothing	Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections. Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool containers with water if possible. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.
HAZCHEM CODE	None allocated

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Isolate area. Keep unnecessary and unprotected personnel from entering the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Control the spill at its source. Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Prevent entry into waterways, sewers, basements or confined areas. Dispose of waste safely in an approved landfill and of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	<p>Read label before use.</p> <p>Avoid contact with skin, eyes and clothing. Do not swallow.</p> <p>Avoid breathing vapours.</p> <p>Use with adequate ventilation.</p> <p>Wash hands thoroughly after handling.</p> <p>Avoid release to the environment.</p> <p>Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling.</p> <p>Keep away from heat, sparks and flame.</p>
Storage:	<p>Keep out of reach of children.</p> <p>Store locked up.</p> <p>Store away from incompatible materials listed in Section 10.</p> <p>Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat sources.</p> <p>Keep in original containers and keep containers closed when not in use.</p> <p>Do not store in excessive heat.</p> <p>Do not store near children, food, foodstuffs, drugs or potable water supplies.</p>

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Oil mist, mineral [8012-95-1]		5(om)		

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

Engineering Controls:	<p>Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower.</p> <p>Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.</p>
------------------------------	--

Personal Protection Equipment:


Eyes:	<p>Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.</p>
Hands:	<p>Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber (“nitrile” or “NBR”) or Viton, Polyvinyl chloride (“PVC” or “vinyl”). The selection of gloves for a particular application and duration of use in the workplace should also be taken into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to gloves materials, as well as the instructions / specs provided by the supplier of gloves.</p>
Skin	<p>Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area</p>

	with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.
Respiratory:	Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).
General:	Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Colour	Pale to straw
Odour	Mild
Odour Threshold	Not available
pH	4.0 – 7.0
Boiling Point	Not available
Melting Point	Not available
Freezing Point	0°C
Flash Point	>93°C
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	0.868 kg/L
Specific Gravity	Not available
Bulk Density	Not available
Water Solubility	Emulsifies in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10: STABILITY AND REACTIVITY

Stability of Substance	Stable under recommended storage conditions.
Possibility of hazardous reactions	Thermally stable at typical use temperatures and in closed containers.
Conditions to Avoid	Avoid extreme temperatures and open flames.
Incompatible Materials	Avoid contact with: Strong oxidizers.
Hazardous Decomposition Products	Carbon monoxide and asphyxiants.

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Swallowed	May be harmful if swallowed. LD ₅₀ = >2258 mg/kg
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes serious eye irritation.
Skin	May cause mild skin irritation.

Chronic Effects:


Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	May be fatal if swallowed and enters airways.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12: ECOLOGICAL INFORMATION

HSNO Classes: 9.3C = Harmful to terrestrial vertebrates.

Product:	
Persistence and degradability	Expected >80% biodegradable
Bioaccumulation	No data available.
Mobility in soil.	No data available.
Other adverse effects	Do not contaminate water supplies, lakes, streams, ponds or drains with this product.

Section 13: DISPOSAL INFORMATION

Disposal Method:	Triple rinse container and add rinsate to the spray tank. Dispose of product only by using in accordance with label directions, or through Agrecovery Chemical Recovery Service or alternative approved programs.
Container Disposal:	 Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.
Precautions or methods to avoid:	Do not allow product or empty container to contaminate any waterway.

Section 14: TRANSPORT INFORMATION

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017	
EPA Approval Code:	Additives, Process Chemicals and Raw Materials (subsidiary) - HSR002503
HSNO Classification:	6.1E(oral, asp) 6.3B, 6.4A, 9.3C

HSW (HS) Regulations 2017	Trigger Quantity
Signage Trigger Quantities (Schedule 3)	1000L (9.3C)
Emergency Response Plan (Schedule 5)	Not required
Secondary Containment (Schedule 5)	Not required
Tracking (Schedule 26)	Not required
Certified Handlers	Not required
HSNO Additional Controls (Restrictions of use)	
	The substance must be used as intended.

Section 16: OTHER INFORMATION

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification

regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 26 May 2022

Review Date: 14 September 2025