# **Safety Data Sheet**



# Dicam 480

# **Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER**

**Product Name: DICAM 480** 

7958188 (5 Litres) **Product Code:** 7985190 (20 Litres)

Selective herbicide for the control of broadleaf weeds in pasture, cereals, maize, certain **Recommended Use:** 

forage brassicas and non-cropped areas

**Restrictions of Use:** Refer to Section 15 **Company Identification:** Ravensdown Limited

292 Main South Road, Hornby, Christchurch, 8042 PO Address:

Box 1049, Christchurch 8011

**Customer Centre:** 0800 100 123

0800 POISON (0800 764 766) **National Poisons Information Centre:** 

0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only) **Emergency Phone Number:** 

111 - tell operator what service is needed: Fire, Ambulance or Police **Transport Emergency Phone Number:** 

**Date of SDS Preparation** 26 May 2022

## **Section 2: HAZARD IDENTIFICATION**

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	HSR000442
Pictograms:	
Signal Word:	Warning

<b>HSNO Classification</b>	Hazard Code	Hazard Statement	GHS Category
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.1E (dermal)	H313	May be harmful in contact with skin.	Acute Tox. 5
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.9B	H373	May cause damage to organs through prolonged or repeated exposure.	STOT RE 2
9.1A	H400	Very toxic to aquatic life.	Aquatic Acute 1
9.2A	H421	Very toxic to the soil environment.	-
9.3B	H432	Toxic to terrestrial vertebrates.	-
9.4B	H442	Toxic to terrestrial invertebrates.	-

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe fumes, vapours and spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P391	Collect spillage.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
Storage Code	Storage Statement
None allocated	
Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

# **Section 3: COMPOSITION INFORMATION**

INGREDIENT	CAS No.	CONTENT
Dicamba (dimethylamine salt)	1918-00-9	48%
Non hazardous materials		Too Volume

# **Section 4: FIRST AID MEASURES**

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on skin:	Take off contaminated clothing and wash before re-use. Wash skin with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
If ingested:	Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important sym	ptoms and effects, both acute and delayed
Symptoms:	
Eyes:	Causes serious eye irritation.
Skin:	May be harmful to skin on contact. Causes skin irritation.
Ingested:	May be harmful if swallowed.
Inhaled:	Not applicable.
Chronic:	May cause damage to organs through prolonged or repeated exposure.
Notes to Doctor:	Treat symptomatically.

# **Section 5: FIRE FIGHTING MEASURES**

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire, may evolve toxic fumes of hydrogen chloride.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and	Full protective clothing and self-contained breathing apparatus.
special protective clothing	
HAZCHEM CODE	3Z

# **Section 6: ACCIDENTIAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

## **Environmental precautions:**

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

#### Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of waste safely in an approved landfill. Dispose of according to Section 13.

# **Section 7: HANDLING AND STORAGE**

Handling:	Read label before use.	
	Avoid contact with skin, eyes and inhalation of spray mist.	
	Do not breathe fumes, vapours and spray.	
	Wash hands thoroughly after handling.	
	Do not eat, drink or smoke when using this product.	
	Avoid release to the environment.	

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Wear protective clothing as detailed in Section 8.
Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept.

Storage:
Keep out of reach of children.
Store away from incompatible materials listed in Section 10.
Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser and seed.
Store in accordance with NZS 8409 Management of Agrichemicals
This product is subject to signage and secondary containment when stored in quantities of 100litres or more, either alone or in aggregate with substances of the same hazard classification. More than 100litres require emergency response plans. For full details refer to NZS 8409 Management of Agrichemicals and HSWA Regulations

#### Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

#### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11<sup>TH</sup> EDITION.

Engineering
Controls:

Handle in well ventilated area. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.

#### **Personal Protection Equipment:**



Eyes:

When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles.

Skin/Hands:

When opening the container, preparing spray and when contact with concentrate or solution is likely, wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.

Respiratory:

Not required.

Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Liquid
Colour	Clear amber
Odour	Mild amine odour
Odour Threshold	Not available
pH	7.5
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.15
<b>Bulk Density</b>	Not available
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
<b>Decomposition Temperature</b>	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available
Other information	(SL) Soluble Liquid

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

#### **Section 10: STABILITY AND REACTIVITY**

**Stability of Substance** When stored appropriately this product should show no significant degradation for 2 years

from the date of manufacture.

Possibility of hazardous reactions

Conditions to Avoid

Incompatible Materials
Hazardous Decomposition

Products

Not available None known.

Avoid contact with strong acids and alkali materials. Keep away from strong oxidizing agents.

None known. Refer to Section 5

## **Section 11: TOXICOLOGICAL INFORMATION**

#### **Acute Effects:**

Swallowed	May be harmful if swallowed. LD <sub>50</sub> (rat) 1707mg/kg (dicamba). Amounts swallowed
	incidental to normal handling are unlikely to cause injury.
Dermal	May be harmful if in contact with skin. LD <sub>50</sub> (rabbit) >2000mg/kg (dicamba).
Inhalation	Not triggered. LC <sub>50</sub> (rat) (4hr) >9.6mg/lt (dicamba)
	Not a likely route of exposure when handling the concentrate. When applying this product
	avoid inhalation of spray mist.
Eye	Causes serious eye irritation.
Skin	Causes skin irritation.

#### **Chronic Effects:**

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May causes damage to organs through repeated or prolonged exposure. Excessive exposure may have adverse effects on liver. Other symptoms include mytoxic muscular spasms, urinary incontinence, dynspnea, cyanosis and exhaustion.

## **Section 12: ECOLOGICAL INFORMATION**

HSNO Classes: 9.1A = Very toxic to aquatic life.

9.2A = Very ecotoxic to the soil environment.

9.3B = Toxic to terrestrial vertebrates.9.4B = Toxic to terrestrial invertebrates.

#### Product:

riouuct.		
Persistence and degradability	Microbial degradation is the major cause of loss from the soil.	
	Average half-life 14days	
Bioaccumulation	No data available.	
Mobility in Soil	No data available.	
Other adverse effects	Avoid unintended release into streams and waterways.	

**Ecotoxicity:** Acute Toxicity (fish) (dicamba)

 $LC_{50}$  (rainbow trout) (96hr) 135mg/l

Acute Toxicity (daphnia) (dicamba)

LC<sub>50</sub> (48hr) 110mg/l

Very toxic to fish and other aquatic organisms

Acute Toxicity (bees) (dicamba)

LD<sub>50</sub> >100ug/bee Non-toxic to bees

# **Section 13: DISPOSAL INFORMATION**

	Disposal Method:	Triple rinse container and add rinsate to the spray tank.  Dispose of product only by using in accordance with label directions, or through Agrecovery
		Chemical Recovery Service or alternative approved programs.
	Container Disposal:  AGRECOVERY	Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.
Precautions or methods to avoid:		Do not allow product or empty container to contaminate any waterway.

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 4 of 6

## **Section 14: TRANSPORT INFORMATION**

# This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012





#### Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DICAMBA 48%)	
Marine Pollutant	Yes	
Special Provisions	If the product's individual container is below 5L, it can be transported as a non-DG as long as	
	the product packaging is still labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

## **Section 15: REGULATORY INFORMATION**

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017	
EPA Approval Code:	HSR000442
HSNO Classification:	6.1E(oral, dermal), 6.3A, 6.4A, 6.9B, 9.1A, 9.2A, 9.3B, 9.4B

HSW (HS) Regulations 2017	Trigger Quantity		
Signage Trigger Quantities (Schedule 3)	100L (9.1A)		
Emergency Response Plan (Schedule 5)	100L (9.1A)		
Secondary Containment (Schedule 5)	100L (9.1A)		
Tracking (Schedule 26)	Not required		
Certified Handlers	Not required		
HSNO Additional Controls (Restrictions of use)			
77A -	The substance must not be applied onto or into water.		
Hazardous Property Controls Notice 2017			
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate		
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth		
	regulators		
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances		
HPC Notice Part 4 Subpart C	Qualifications required for application of class 9 pesticides.		
ACVM Act and Regulations			
See <u>www.foodsafety.govt.nz</u> for registration conditions	P7347		

# **Section 16: OTHER INFORMATION**

## Glossary

EC50 Median effective concentration. **EEL** Environmental Exposure Limit. **EPA Environmental Protection Authority** 

Hazardous Substances and New Organisms. **HSNO** 

**HSW** Health and Safety at Work.

Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it. LC<sub>50</sub>

Lethal dose to kill 50% of test animals/organisms. LD50

LEL Lower explosive level.

American Occupational Safety and Health Administration. **OSHA** 

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL **Upper Explosive Level** WES Workplace Exposure Limit

## References:

EPA Hazardous Substances (Safety Data Sheets) Notice 2017 1.

- Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition. 2.
- Assigning a hazardous substance to a HSNO Approval (Aug 2013). 3.
- 4. Transport of Dangerous goods on land NZS 5433:2012
- HSW (Hazardous Substances) Regulations 2017

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 May 2022

Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5 of 6

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 26 May 2022 Review Date: 14 September 2025

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz