


Pasture Guard D-Amine 720

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	Pasture Guard D-Amine 720
	7998190 (20 Litres)
Product Code:	7998193 (200 Litres)
	7998196 (1000 Litres)
Recommended Use:	A broadleaf herbicide for control of broadleaf weeds in cereals and pasture
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	27 November 2020

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	HSR007878
Pictograms:	
Signal Word:	DANGER

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1D (oral)	H302	Harmful if swallowed.	Acute Tox. 4
6.9A	H372	Causes damage to organs through prolonged or repeated exposure.	STOT RE 1
8.3A	H318	Causes serious eye damage.	Eye Corr. 1
9.1B	H411	Toxic to aquatic life with long lasting effects	Aquatic Chronic 2
9.2A	H421	Very toxic to the soil environment.	-
9.3B	H432	Toxic to terrestrial vertebrates.	-

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe fume, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage Code	Storage Statement
None allocated	
Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
2,4-D dimethylammonium	2008-39-1	10 - 30%
2,4-D diethanolamine	5742-19-8	>60%

Section 4: FIRST AID MEASURES

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
If on skin:	Take off contaminated clothing. Wash affected area thoroughly with soap and water. If skin irritation occurs: Get medical advice/ attention.
If ingested:	Rinse mouth. Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important symptoms and effects, both acute and delayed	
Symptoms:	Please refer to Section 11 for full details and symptoms.
Eyes:	Causes eye damage.
Skin:	Not applicable.
Ingested:	May be harmful if swallowed.
Inhaled:	Not applicable
Chronic:	Causes damage to organs through prolonged or repeated exposure.
Notes to Doctor:	No specific antidote so treat symptomatically. If vomiting is induced, suggest endotracheal and/or oesophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach.

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	None known.
Suitable Extinguishing media	Based on surrounding materials.
Precautions for firefighters and special protective clothing	Full protective clothing and self-contained breathing apparatus.
HAZCHEM CODE	3Z

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container.

Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	<p>Read label before use.</p> <p>Avoid contact with skin, eyes and inhalation of spray mist.</p> <p>Do not breathe fume, vapours or spray.</p> <p>Wash hands thoroughly after handling.</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Avoid release to the environment.</p> <p>Wear protective clothing as detailed in Section 8.</p>
------------------	---

Storage:	<p>Keep out of reach of children.</p> <p>Store away from incompatible materials listed in Section 10.</p> <p>Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertilizer and seed.</p> <p>Store in accordance with NZS 8409 Management of Agrichemicals. This product is subject to signage and secondary containment when stored in quantities of 1000litres or more, either alone or in aggregate with substances of the same hazard classification. More than 1000litres requires emergency response plans. For full details refer to NZS 8409 Management of Agrichemicals and HSWA Regulations.</p>
-----------------	---

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA	STEL
	ppm mg/m ³	ppm mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

Engineering Controls:	Ensure ventilation is adequate and that airborne levels below exposure limits. If inhalation risk exists (dusts, mists, sprays) use process enclosures, local exhaust ventilation or other engineering controls while wearing suitable mist respirator. Keep containers closed when not in use.
------------------------------	---

Personal Protection Equipment:



Eyes:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles.
Skin/Hands:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear chemically resistant gloves, cotton overalls buttoned to the neck and wrist, and boots.
Respiratory:	If inhaled risk exists, wear air-supplied mask meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Wash contaminated clothing and other protective equipment before storage or re-use.
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Colour	Amber
Odour	Ammonia like
Odour Threshold	Not available
pH	6.0 – 8.0
Boiling Point	100°C
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Non Flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.28
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available

Particle Characteristics	Not available
Other information	Not available

Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture.
Possibility of hazardous reactions	Not available
Conditions to Avoid	None known.
Incompatible Materials	Avoid contact with strong acids and oxidising agents.
Hazardous Decomposition Products	None known.

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Swallowed	May be harmful if swallowed. Oral LD ₅₀ (Rat) 625mg/Kg
Dermal	Not triggered. Acute Dermal LD ₅₀ (Rabbit) 2115mg/Kg
Inhalation	Not triggered. LC ₅₀ (Rat) >1.79mg/L (24h)
Eye	Causes eye damage.
Skin	Not triggered.

Chronic Effects:

Carcinogenicity	Not triggered.
Reproductive Toxicity	Not triggered.
Germ Cell Mutagenicity	Not triggered.
Aspiration	Not triggered.
STOT/SE	Not triggered.
STOT/RE	Causes damage to organs through prolonged or repeated exposure.

Section 12: ECOLOGICAL INFORMATION

HSNO Classes: 9.1B = Toxic to aquatic life with long lasting effects.
9.2A = Very toxic to the soil environment.
9.3B = Toxic to terrestrial vertebrates.

Product:

Persistence and degradability/Mobility	No data available.
Bioaccumulation	Bioaccumulation unlikely to occur.
Other adverse effects	Avoid unintended release into streams and waterways.

Section 13: DISPOSAL INFORMATION

Disposal Method:	Triple rinse container and add rinsate to spray tank.
Container Disposal:	Triple rinse container and add rinsate to spray tank. Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for disposal. Otherwise crush and bury in an approved landfill. Do not use container for any other purpose.
Precautions or methods to avoid:	Do not allow to enter waterways.

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Liquid, N.O.S. (contains 2,4-D dimethylammonium & 2,4-D dimethylammonium)
Marine Pollutant	Yes
Hazchem Code	3Z

Special Provisions	If the product's individual container is below 5L it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.
---------------------------	---

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017	
EPA Approval Code:	HSR007878
HSNO Classification:	6.1D(oral), 6.9A, 8.3A, 9.1B, 9.2A, 9.3B
HSW (HS) Regulations 2017	
Signage Trigger Quantities (Schedule 3)	100L (9.2A)
Emergency Response Plan (Schedule 5)	1000L (9.1B)
Secondary Containment (Schedule 5)	1000L (9.1B)
Tracking (Schedule 26)	Not required
Certified Handlers	Not required
Location Certificate	Not required
HSNO Additional Controls (Restrictions of use)	
77A -	The substance must not be applied onto or into water.
Hazardous Property Controls Notice 2017	
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
HPC Notice Part 4 Subpart C	Qualifications required for application of class 9 pesticides
HPC Notice Part 3	Hazardous substances in a place other than a workplace
ACVM Act and Regulations	
See www.foodsafety.govt.nz for registration conditions P9439	

Section 16: OTHER INFORMATION

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 27 November 2020

Review Date: 27 November 2025