SAFETY DATA SHEET Section 1: IDENTIFICATION

Product Name:	SEGURIS FLEXI
Design Code:	A15149W
Recommended Use:	Fungicide
Company Details:	Syngenta Crop Protection Limited
Address:	Tower II, Level 7, 110 Symonds Street
	Private Bag 92618,
	Symonds Street
	AUCKLAND
	NEW ZEALAND
Telephone number:	(weekdays) 09 306 1500
Emergency Telephone number:	(24 Hours) 0800 734 607
National Poisons & Hazchem	
Information Centre :	0800 POISON (0800 764 766)
1	

Section 2: HAZARDS IDENTIFICATION

Hazard classification: Priority Identifier:	3.1D, 6.1D, 6.3B, 6.4A, 6.7B, 6.8B, 6.9B, 9.1A, 9.3C WARNING KEEP OUT OF REACH OF CHILDREN		
Secondary Identifiers:	 3.1D Combustible liquid. 6.1D May be harmful if inhaled. 6.3B Causes mild skin irritation. 6.4A Causes serious eye irritation. 6.7B Suspected of causing cancer. 6.8B May cause damage to fertility of the unborn child from repeated oral exposure. 		
	6.9B May cause damage to target organs from repeated oral exposure at high doses.9.1A Very toxic to aquatic life.		
	9.3C Harmful to terrestrial vertebrates		

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture:		
Chemical Identity of ingredients:		
Ingredient	CAS no.	Content (% w/w)
Isopyrazam	881685-58-1	12.5
calcium dodecylbenzene sulphonate	26264-06-2	>= 1 - < 2.5
poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl] hydroxy-	99374-09-5	>= 1 - < 2.5
mixture of octanoic acid- decanoic acid-N,N-dimethylamide	1118-92-9	>= 30 - < 50
dipropyleneglycol monomethylether	34590-94-8	>= 30 - < 50
Other ingredients determined not to be hazardous	-	to 100%

Section 4: FIRST AID MEASURES

Description of First Aid measures	
General Advice:	For advice contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain medical attention.
If inhaled:	Move the victim to fresh air immediately. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest, in a position comfortable for breathing. Call a Doctor or the National Poisons Centre immediately.
In case of skin contact:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation occurs, get medical advice. Wash contaminated clothing before re-use.
In case of eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses (if present). Immediate medical attention is required.
If swallowed:	If swallowed seek medical advice immediately and show the container or label. DO NOT induce vomiting.
Important symptoms and effects,	both acute and delayed:
Symptoms:	Nonspecific
	No symptoms known or expected.
Indication of any immediate medic	al attention and special treatment needed:
	There is no specific antidote available.
	Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media:	
Suitable extinguishing media:	Small fires: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Large Fires: Alcohol resistant foam or water spray.
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread fire.
Special hazards arising from the s	substance or mixture:
Specific hazards during fire- fighting:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Advice for firefighters: Special protective equipment for firefighters:	Wear full protective clothing and self-contained breathing apparatus.
Hazchem Code:	2X
Further information:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	
	Refer to protective measures listed in Sections 7 and 8.
Environmental Precautions:	
	Prevent further leakage or spillage if safe to do so.
	Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and material for contain	ment and cleaning up:
	Contain spillage, and then collect with non-combustible absorbent
	material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place
	in container for disposal according to local / national regulations (see section 13).
	Clean contaminated surface thoroughly.
	Clean with detergents. Avoid solvents.
	Retain and dispose of contaminated wash water.
Reference to other sections:	Refer to disposal considerations listed in Section 13.
	Refer to protective measures listed in sections 7 and 8.

Section 7: HANDLING AND STORAGE

<i>Precautions for Safe handling:</i> Advice on safe handling:	Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
Conditions for safe storage, inclu	Iding any incompatibilities:
Requirements for storage area	Keep containers tightly closed in a dry, cool and well-ventilated place.
and containers:	Keep out of reach of children. Keep away from food, drink and animal feeding stuffs.
Further information on storage stability:	Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.
Specific end use(s)	
Specific use(s)	For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters Occupational Exposure Limits:				
Components	CAS No	Value type (form of exposure)	Control parameters	Basis
isopyrazam	881685-58-1	TWA	1 mg/m ³	Syngenta
dipropyleneglycol monomethylether	34590-94-8	TWA	100 ppm 606 mg/m ³	WES
		STEL	150 ppm 909 mg/m ³	WES

Exposure controls	
Engineering measures:	Containment and/or segregation is the most reliable technical
	protection measure if exposure cannot be eliminated.
	If airborne mists or vapors are generated, use local exhaust ventilation controls.
	Assess exposure and use any additional measures to keep airborne
	levels below any relevant exposure limit.
	Where necessary, seek additional occupational hygiene advice.
Personal Protective Protection:	
Eye protection:	Face shield or tightly fitting safety goggles.
	Always wear eye protection when the potential for inadvertent eye
	contact with the product cannot be excluded.
Hand protection:	
Material:	Waterproof or chemical resistant, such as nitrile rubber
Break through time:	>480 min
Glove thickness:	0.5 mm
Remarks:	Wear protective gloves. The choice of an appropriate glove does not
	only depend on its material but also on other quality features and is
	different from one producer to the other.
	Please observe the instructions regarding permeability and
	breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which
	the product is used, such as the danger of cuts, abrasion, and the
	contact time. The break through time depends amongst other things on
	the material, the thickness and the type of glove and therefore has to
	be measured for each case. Gloves should be discarded and replaced
	if there is any indication of degradation or chemical breakthrough.
Skin and body protection:	Choose body protection in relation to its type, to the concentration and
	amount of dangerous substances, and to the specific work-place.
	Remove and wash contaminated clothing before re-use.
	Wear as appropriate:
	Impervious protective clothing.
Respiratory protection:	When workers are facing concentrations above the exposure limit they
	must use appropriate certified respirators.
	Suitable respiratory equipment:
	Respirator with a half face mask The filter class for the respirator must be suitable for the maximum
	expected contaminant concentration (gas/vapour/aerosol/particulates)
	that may arise when handling the product. If this concentration is
	exceeded, self-contained breathing apparatus must be used.
Filter type :	Combined particulates and organic vapour type (A-P)
Protective measures:	The use of technical measures should always have priority over the
	use of personal protective equipment.
	When selecting personal protective equipment, seek appropriate
	professional advice.
	Personal protective equipment should be certified to appropriate standards.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties: **Appearance:** Clear liquid Colour: Light brown to dark brown Odour: Characteristic **Odour threshold:** No data pH value 3-7, concentration: 1% w/v aqueous suspension Melting point / freezing point: No data Initial boiling point and boiling range: No data 91°C (1002.0 hPa) Method: Pensky-Martens c.c. Flash point: Flammability (liquid): Not flammable Upper flammability / explosive limits: No data Lower flammability / explosive limits No data Vapour pressure: No data Vapour Density: No data **Density:** 0.954 g/cm³ (20 - 25°C) Solubility: Forms emulsion in water Partition co-efficient: n-octanol / water: log Pow: 4.1 (25°C) (isopyrazam) Autoignition temperature 225°C **Decomposition temperature:** No data 11.4 mPa.s (20°C) **Dynamic viscosity:** 5.6 mPa.s (40°C) **Explosive properties:** Not explosive **Oxidising properties:** Not classified as oxidizing Surface tension 31.1 mN/m at 20°C

Section 10: STABILITY AND REACTIVITY

No data

Reactivity:

See Section: "Possibility of Hazardous Reactions".

Chemical Stability:

Minimum ignition energy:

The product is stable when used in normal conditions.

Possibility of Hazardous Reactions:

No hazardous reactions by normal handling and storage according to provisions.

Conditions to Avoid

No decomposition if used as directed.

Incompatible Materials:

No substances are known which lead to the formation of hazardous substances or thermal reactions. *Hazardous Decomposition Products:*

Combustion or thermal decomposition will evolve toxic and irritant vapors.

Section 11: TOXICOLOGICAL INFORMATION

HSNO Classifications:

6.1D May be harmful if inhaled.

- 6.3B Causes mild skin irritation.
- 6.4A Causes serious eye irritation.
- 6.7B Suspected of causing cancer.
- 6.8B May cause damage to fertility of the unborn child from repeated oral exposure.

6.9B May cause damage to target organs from repeated oral exposure at high doses.

Acute toxicity (similar pro	
Swallowed:	LD ₅₀ 1750 mg/kg (rat)
Dermal absorption:	LD ₅₀ >5000 mg/kg (rat)
Inhaled:	LC ₅₀ (4 h) >2.71 - <5 mg/L (rat)
Aspiration hazard:	Not classified
Respiratory irritation:	Not classified
Skin corrosion / irritation:	IRRITANT (rabbit)
Eye damage / irritation:	IRRITANT (rabbit)
Respiratory or Skin Sensitisation:	NOT A SKIN SENSITISER (guinea pig)
Chronic / Long Term Effe	cts (active ingredient)
Germ cell mutagenicity:	Animal testing did not show any mutagenic effects.
Carcinogenicity:	Weight of evidence does not support classification as a carcinogen, In a two-year feeding study of mice, an oncogenic effect was seen in the livers of males and females. The observed tumors do not appear to be relevant for humans.
Reproductive toxicity:	Some evidence of adverse effects on development, based on animal experiments., Animal testing did not show any effects on fertility., Evidence of developmental toxicity at high doses (reduction in eye size).
Specific Organ toxicity:	<i>Single exposure:</i> The substance or mixture is not classified as specific target organ toxicant, single exposure. <i>Repeated exposure:</i> The substance or mixture is classified as specific target organ toxicant, repeated exposure, Class 6.9B. May cause organ damage from repeated oral exposure at high doses.
Narcotic Effects:	Not classified

Section 12: ECOLOGICAL INFORMATION

HSNO Classifications:	
9.1A Very toxic to aquatic life.	
9.3C Harmful to terrestrial vertebrates	
Ecotoxicity Effects – Aquatic (simi	lar product)
Acute toxicity to fish:	LC ₅₀ (96 h) = 0.32 mg/L (<i>Oncorhynchus myki</i> ss (Rainbow trout))
Toxicity to daphnia and other aquatic invertebrates:	EC ₅₀ (48h) = 0.35 mg/L (<i>Daphnia magna</i> (water flea))
Toxicity to algae:	E₅C₅₀ (96 h) = 12 mg/L (<i>Pseudokirchneriella subcapitata</i> (green algae))
	ErC ₅₀ (96 h) = 33 mg/L (<i>Pseudokirchneriella subcapitata</i> (green algae))

assessment (product):

Ecotoxicity Effects – Terrestrial (simi	lar product)	
Toxicity to Birds:	LC ₅₀ = >2,000 mg/kg (bobwhite quail)	
Toxicity to soil dwelling organisms:	LC ₅₀ (14 days) = 1894 mg/kg (earthworms) NOEC (28 days) = 114.6 mg/kg (collembola) LD ₅₀ (48h, oral) = 230.9 μg/bee LD ₅₀ (48h, contact) = 63.6 μg/bee	
Toxicity to Bees:		
Persistence and degradability:		
Biodegradability:	Isopyrazam: Not readily biodegradable	
Stability in water:	Isopyrazam: Degradation half-life: 21 d Not persistent in water.	
<i>Bioaccumulative potential:</i> Bioaccumulation:	Isopyrazam: Does not bioaccumulate.	
<i>Mobility in soil:</i> Distribution among environmental compartments:	Isopyrazam: Low to slightly mobile in soil.	
Stability in soil:	Isopyrazam: DT ₅₀ : 70 d Percentage dissipation: 50% Not persistent in soil.	
Other adverse effects: Results of PBT and vPvB	This substance contains no components considered to be eithe	

This substance contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 13: DISPOSAL CONSIDERATIONS

Product Disposal:	DO NOT contaminate ponds, waterways or ditches with chemical or used containers. DO NOT dispose of waste into sewer. Dispose of this product only by using according to the label. Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.
Container Disposal:	Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Section 14: TRANSPORT INFORMATION

Rail / Road (NZS 5433)	UN-No:	3082
	Class:	9
	Packing Group:	III
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS
		SUBSTANCE, LIQUID, N.O.S.
		(Isopyrazam)

Sea (IMDG-Code)	UN-No:	3082
	Class:	9
	Packing Group:	III
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS
		SUBSTANCE, LIQUID, N.O.S.
		(Isopyrazam)
	EmS Code:	F-A, S-F
	MARINE POLLUTANT:	Yes
Air (IATA)	UN-No:	3082
	Class:	9
	Packing Group:	III
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS
		SUBSTANCE, LIQUID, N.O.S.
		(Isopyrazam)
	Packing instruction:	964 (cargo and passenger aircraft)
Packing instruction (LQ): Y964 (cargo and passenger		: Y964 (cargo and passenger aircraft)

Section 15: REGULATORY INFORMATION

HSNO Approval Number:	HSR100267
Tolerable Exposure Limit or Environmental Exposure Limit: Required Regulatory Controls:	No TEL or EEL values are set for this substance at this time
Certified handler:	No
Tracking:	No
Record Keeping:	Yes, 9.1A substance
ACVM Registration:	P8079
ACVM Controls:	See <u>www.foodsafety.govt.nz/industry/acvm</u> for registration conditions.
International Agreements related to the substance (eg, Montreal Protocol, Stockholm Convention or Rotterdam Convention):	Not applicable

Section 16: OTHER INFORMATION

Date of SDS Preparation / Review:	29 January 2020
Version number of SDS:	6
Key / Legend to abbreviations and	
acronyms used:	
AICS - Australian Inventory of Chemical Substances;	MARPOL - International Convention for the Prevention of
ANTT - National Agency for Transport by Land of Braz	zil; Pollution from Ships;
ASTM - American Society for the Testing of Materials;	N.O.S Not Otherwise Specified;
bw - Body weight;	Nch - Chilean Norm;
CMR -Carcinogen, Mutagen or Reproductive Toxicant	; NO(A)EC - No Observed (Adverse) Effect Concentration;
CPR - Controlled Products Regulations;	NO(A)EL - No Observed (Adverse) Effect Level;
DIN - Standard of the German Institute for Standardisa	ation; NOELR - No Observable Effect Loading Rate;
DSL - Domestic Substances List (Canada);	NOM - Official Mexican Norm;
ECx - Concentration associated with x% response;	NTP - National Toxicology Program;
ELx - Loading rate associated with x% response;	NZIoC - New Zealand Inventory of Chemicals;
EmS - Emergency Schedule;	OECD - Organization for Economic Co-operation and
ENCS - Existing and New Chemical Substances (Japa	
ErCx - Concentration associated with x% growth rate	OPPTS - Office of Chemical Safety and Pollution Prevention;
response;	PBT - Persistent, Bioaccumulative and Toxic substance;
ERG - Emergency Response Guide;	PICCS - Philippines Inventory of Chemicals and Chemical
GHS - Globally Harmonized System;	Substances;
GLP - Good Laboratory Practice;	(Q)SAR - (Quantitative) Structure ActivityRelationship;
IARC - International Agency for Research on Cancer;	

 IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); 	Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WES – Workplace Exposure Standard (Worksafe NZ); WHMIS - Workplace Hazardous Materials Information System		
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation,			

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

This version replaces all previous versions. PRODUCT NAMES are a trademark or registered trademark of a Syngenta Group Company.