

# Safety data sheet

Page 1 of 10

BASF Safety Data Sheet Date / Revised: 18.09.2018 Product: **SHARPEN**®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

## Identification of the substance/mixture and of the company/undertaking Product identifier

## **SHARPEN®**

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide.

## Details of the supplier of the safety data sheet

Company:

BASF New Zealand Limited Level 1, Quad 7, 6 Leonard Isitt Drive, Auckland Airport, Auckland 2022 P.O. Box 407, Auckland 1140

Phone: 0800 932 273

## **Emergency telephone number**

National Poisons Centre: 0800 764 766

BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only) BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

## 2. Hazards Identification

Hazard Classification: 6.1E, 6.8B, 6.9A, 9.1A



Signal word: DANGER

® Registered trade mark of BASF

Product: SHARPEN®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

#### Hazard statements:

May be harmful if swallowed or absorbed through the skin. Suspected of damaging fertility or the unborn child through repeated oral exposure. May cause organ damage including hepatotoxicity through repeated oral exposure. Very toxic to aquatic life with long lasting effects.

#### Precautionary statements:

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust, mist, vapours, or spray. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

## Other hazards:

Persons suffering from variegate porphyria should not use or apply this substance.

To avoid risks to human health and the environment, comply with the instructions for use. Hazard determining component(s) for labelling: Saflufenacil.

## 3. Composition/Information on Ingredients

#### **Mixtures**

#### Chemical nature

Crop protection product, herbicide, water dispersible granules (WG).

## Hazardous ingredients

Saflufenacil

Content (W/W): 70 %

CAS Number: 372137-35-4

#### 4. First-Aid Measures

## 4.1 Description of first aid measures

Remove contaminated clothing. If medical advice is needed, have product container or label at hand. Call a POISON CENTER or doctor/physician if you feel unwell.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### On skin contact:

Immediately wash thoroughly with soap and water.

## On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Product: SHARPEN®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

## 5. Fire-Fighting Measures

## 5.1. Extinguishing media

Suitable extinguishing media:

Water spray, foam, dry powder.

Unsuitable extinguishing media for safety reasons: water jet, carbon dioxide

## 5.2. Special hazards arising from the substance or mixture

Carbon monoxide, carbon dioxide, ammonia, anhydrous, hydrogen chloride, nitrogen oxides, sulphur oxides, organochloric compounds.

The substances/groups of substances mentioned can be released in case of fire.

## 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

## 6.2 Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

## 6.3 Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labelled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

## 6.4 Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## 7. Handling and Storage

## 7.1 Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

#### **Qualification Requirements:**

Any person mixing, loading or handling this product must be a qualified person.

Refer to the product label for handling precautions and directions for use.

#### Protection against fire and explosion:

Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Avoid dust formation.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

Product: SHARPEN®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

## 7.2 Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Protect from temperatures above: 50 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

AGGREGATE STORAGE VOLUME THRESHOLDS: When stored with substances of the same hazard the aggregate quantity must be considered. For full details refer to the current standard NZS8409 Management of Agrichemicals or the HSNO Regulations.

Location Certificate*:	Hazardous Atmosphere Zone*:	Fire Extinguishers:	Signage [Hazard Class & Emergency Action]:	Emergency Information:	Emergency Response Plan:	Secondary Containment:
NA	NA NA	NA	100 kg	1 kg	100 kg	100 kg

<sup>\*</sup> Note: Farms > 4 ha are exempt but with controls

DO NOT STORE OR LOAD WITH:	SEGREGATE FROM:
Class 1 Explosive	Foodstuffs and Food Containers

Segregation: In store separate by at least 5 metres, on transport separate by at least 3 metres, in both cases horizontally. On vehicles a segregation device may be used: Check the Land Transport Rule Dangerous Goods, Rule 45001 for additional information. Sea transport may require additional segregation. Refer to NZS5433 Sea Segregation for details.

#### RECORD KEEPING

Written records of use must be kept if applying more than 3kg of the product within a 24 hour period.

NOTE: Storage, application and record keeping must be as described in the current version of the New Zealand Standard for the Management of Agrichemicals NZS8409.

#### 7.3 Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

Components with occupational exposure limits

1322-93-6: Sodium diisopropylnaphthalenesulphonate

7783-20-2: Ammonium sulphate

#### 8.2 Exposure controls

## Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

#### Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

BASF Safety Data Sheet Date / Revised: 18.09.2018 Product: **SHARPEN**®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling cropprotection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Form: solid, granules
Colour: light brown
Odour: odourless
Odour threshold: not determined

pH value: approx. 4 - 6 (10 g/l, 25 °C)

Information on: Saflufenacil

Melting range: 189.9 - 193.4 °C (OECD Guideline 102) Thermal decomposition above the indicated temperature is possible.

Boiling point: The product has not been tested.

Flash point: not applicable Evaporation rate: not applicable

Flammability: not highly flammable Lower explosion limit: not determined Upper explosion limit: not determined

Vapour pressure: The product has not been tested.

Density: approx. 1.61 g/cm3 (20 °C)

Relative vapour density (air): not determined Solubility in water: dispersible

Information on: Saflufenacil

Partitioning coefficient n-octanol/water (log Kow): 2.6 (20 °C; pH value: 1.7)

Self ignition: Temperature: 371 °C (Method: Directive 92/69/EEC, A.16)

Thermal decomposition: 200 °C, 140 kJ/kg (DSC (OECD 113))

250 °C, 310 kJ/kg (DSC (OECD 113)) 355 °C, 100 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: not applicable
Explosion hazard: not explosive
Fire promoting properties: not fire-propagating

Product: SHARPEN®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

#### 9.2 Other information

Self-heating ability: It is not a substance capable of spontaneous heating.

Bulk density: 540 - 600 kg/m3 (20 °C, 1,013 hPa) 585 - 645 kg/m3 (20 °C, 1,013 hPa)

Apparent density after tamping

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## 10. Stability and Reactivity

## 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.2 Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3 Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.4 Conditions to avoid

See SDS section 7 - Handling and storage.

## 10.5 Incompatible materials

Substances to avoid:

Strong acids, strong bases, strong oxidizing agents.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11. Toxicological Information

## 11.1 Information on toxicological effects

### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data: LD50 rat (oral): > 2,000 mg/kg LC50 (by inhalation): > 5 mg/l 4 h LD50 rat (dermal): > 2,000 mg/kg

#### Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant.

Product: SHARPEN®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

## Respiratory/Skin sensitization

#### Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

#### Experimental/calculated data:

Modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies.

#### Germ cell mutagenicity

#### Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

## Carcinogenicity

#### Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

## Reproductive toxicity

## Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Developmental toxicity

#### Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

## Information on: Saflufenacil

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

## Specific target organ toxicity (single exposure)

Assessment of STOT single:

The available information is not sufficient for the evaluation of specific target organ toxicity.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration of high doses to animals.

#### Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

## Other relevant toxicity information

Misuse can be harmful to health.

BASF Safety Data Sheet Date / Revised: 18.09.2018 Product: **SHARPEN**®

(ID no. 30516237/SDS\_CPA\_00/EN; Version 2.0)

## 12. Ecological Information

## 12.1 Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

(48 h) > 100 mg/l, Daphnia magna (static)

Aquatic plants:

EC50 (72 h) 0.1157 mg/l (growth rate), Pseudokirchneriella subcapitata

## 12.2 Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

## 12.3 Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

## 12.4 Mobility in soil (and other compartments if available)

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation – be transported to deeper soil areas with larger water loads.

#### 12.5 Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6 Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Product: SHARPEN®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

#### 12 7 Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## 13. Disposal Considerations

#### Container:

Ensure container is completely empty. Triple rinse container and add rinsate to the spray tank. Recycle the rinsed container through Agrecovery (0800 247 326, www.agrecovery.co.nz).

## Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## Product:

Dispose of this product only by using according to the label or at an approved landfill or at an approved facility. Do NOT burn product. Do NOT contaminate water with product or used container.

#### 13.1. Waste treatment methods

Waste product/packaging may be sent to a suitable incineration plant, observing local regulations.

## 14. Transport Information

Commercial transport:

Classified as Dangerous Goods for Land/rail (ADR/RID), sea (IMDG/GGVSee) and air transport (ICAO/IATA):

UN number: UN 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains SAFLUFENACIL)

Transport hazard class(es): 9, EHSM Packing group: Ш

Marine pollutant: YES HAZCHEM: 2[Z]

## 15. Regulatory Information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

## **15.2 Chemical Safety Assessment**

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## **NZ Regulations**

Approved pursuant to the HSNO Act 1996, Code HSR100571.

See www.epa.govt.nz for approval conditions.

Registered pursuant to the ACVM Act 1997, Nos. P8391.

See www.foodsafety.govt.nz/acvm for registration conditions.

BASF Safety Data Sheet Date / Revised: 18.09.2018 Product: **SHARPEN**®

(ID no. 30516237/SDS CPA 00/EN; Version 2.0)

## 16. Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the products properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.