

ROSE FERTILISER

BATCH NUMBER:

BAGGING DATE:

Read label carefully and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

PRODUCT DESCRIPTION

Rose fertiliser is a specialist fertiliser that contains the appropriate N, P, K, S, Ca, Mg and trace elements needed by rose plants.

DIRECTIONS FOR USE

Rose fertiliser is typically applied at a rate up to 160 grams per plant watered and mixed into the soil at planting. For established roses up to 320 grams per plant can be watered into soil around the plant. Recommended to be applied to garden beds and not roses in pots. Best to apply at key growth stages. Avoid fertiliser contacting paths, hard surfaces and driveways as the fertiliser may stain or discolour these surfaces.

COMPONENTS

Nitrogen (N): 3.0-4.0%. Phosphorus (P): 4.5-5.0%. Potassium (K): 0.0%. Sulphur (S): 9.0-10.7%. Magnesium (Mg): 0.0%. Calcium (Ca): 10.0-11.0%. Boron (B): 0.04%.

CONTAINS

Superphosphate: 50-55%
Ammonium Sulphate: 15-20%
Borate 46: <0.5%

HANDLING PRECUATIONS AND STORAGE

HANDLING

Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Wear protective clothing as detailed in Section 8 of the SDS. Use personal protective equipment as required. Avoid generating dusts, do not breathe dusts. Avoid contact with skin, eyes, and inhalation. Do not eat drink or smoke when using this product. Avoid unintended release to the environment. If additional safety information is required, refer to the Safety Data Sheet (SDS). For a copy of the SDS phone 0800 100 123.

STORAGE

Store locked up. Store away from incompatible materials listed in Section 10 of SDS. Keep out of reach of children and animals. Store in cool, dry, well-ventilated area.

TOXICITY DATA

GHS Classification and Category: Eye irritation Category 2 – causes serious eye irritation; Reproductive toxicity Category 2 – suspected of damaging fertility or the unborn child.

Granular Ammonium Sulphate: LD50 (oral, rat) 2,840 mg/kg

Potassium Sulphate: LD50 (oral, rat) 6,600 mg/kg

Kieserite: LD50 (oral, mouse) 5,000 mg/kg

ECOLOGICAL INFORMATION

This mixture is not hazardous to the environment

IF IN EYES

Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

IF ON SKIN

Wash skin with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.

IF INGESTED

Rinse mouth. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.

IF INHALED

Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

For advice, or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If medical advice is needed, have product container or label at hand.



SUPPLIER INFORMATION

Imported, Manufactured and Distributed by Ravensdown Limited

www.ravensdown.co.nz

0800 100 123