

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: WUXAL[®] Amino
 Product No: 92697
 Product Use: Fertilizer, preparation for plant nutrition. Plant strengthener.
 Restriction of Use: Refer to Section 15
 New Zealand Supplier: Horticulture Ltd
 Address: 10 Firth Street
 Drury, 2113
 Telephone: +64 9 294 8453
 Fax Number: +64 9 294 7272
Emergency Telephone: 0800 764 766 (National Poison Centre)
 Date of SDS Preparation: 25 July 2019 v2

Section 2. Hazards Identification

The manufacturer has stated this substance is NON hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

Section 3. Composition / Information on Ingredients

No hazardous product as specified in Directive 67/548/EEC.

Preparation: Liquid hydrolysate of amino acid
 Description: Aqueous solution of amino acid hydrolysate.
 Amino acids and peptides obtained by enzymatic hydrolysis.

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes: Rinse cautiously with water for several minutes. If eye irritation occurs: Get medical advice.

If on Skin: Wash with plenty of soap and water. If skin irritation occurs: get medical advice.

If Swallowed: Immediately rinse the mouth with water, then drink a lot of water. Consult the doctor in case of persistent trouble. Get medical assistance if you feel unwell.

If Inhaled: Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: None known

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from decomposition products	The material itself is harmless and hardly inflammable. Ambient fire may liberate hazardous vapours. If larger quantities of the product are on fire, the formation of nitrous gases and ammonia is possible.
Suitable Extinguishing media	Water, carbon dioxide, dry extinguishing media, foam.
Precautions for firefighters and special protective clothing	Do not stay in dangerous zone without suitable chemical protecting clothes and self-contained breathing apparatus. Contain escaping vapours with water.
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

Wear suitable protecting clothes. Avoid product contact and formation of vapours/aerosols. Do not inhale vapours/aerosols. In event of vapours/aerosols wear respiratory protection, safety glasses and gloves.

Take up with absorption media. Disposal of contaminated material as waste according to section 13.

Ensure that the product does not reach the ground-water, water bodies or the drainage system.

Section 7. Handling and Storage

Handling

- Wear protective clothing.
- Avoid product contact and formation of vapours/aerosols.
- Do not inhale vapours/aerosols.
- In event of vapours/aerosols wear respiratory protection, safety glasses and gloves.
- Remove soiled and soaked clothes and wash hands and face after work

Storage

- Protect the product from impurity or drying up.
- Temperature in stockrooms not below -5°C and above +40°C
- Do not store in metal containers (corrosion risk).
- Keep containers tightly closed.
- Do not store together with food and luxury food, beverage and animal feed.
- It is recommended to design stockrooms so that the product is well-protected from weather factors, solar radiation, heat up, dry up and impurities.
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Ensure adequate ventilation is available to reduce exposure

Personal Protection Equipment



Eyes	Wear safety glasses.
Hands	Chemical resistance rubber or plastic gloves.
Skin	Closed working clothes.
Respiratory	Not required. Respiratory protection necessary at vapours/aerosol and wet fog formation.
Hygiene	Do not eat and drink at work. Remove immediately soiled and soaked clothes. Wash hands and face after work.

Section 9 Physical and Chemical Properties

Appearance	Aqueous solution
Colour	Brown
Odour	Product specific
Odour Threshold	Not applicable
pH (original state)	Approx 7
pH at 16g/l H₂O and 20°C:	Approx 7
Change in physical state	> 100°C evaporation of water
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Not applicable
Upper and Lower Explosive Limits	Not applicable
Explosive hazards	The product is not spontaneously inflammable.
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Density @ 20°C	approx. 1.25 g/cm ³
Water Solubility @ 20°C	Full water soluble in each ratio
Partition Coefficient:	Not applicable
Self ignition	Not applicable
Decomposition Temperature	Not applicable
Kinematic Viscosity	Not applicable
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	Reacts with alkalis setting ammonia free.

Conditions to Avoid	Direct solar radiation, heat up and dry up. Temperatures above +40° C.
Incompatible Materials	Strong alkaline materials, strong acid materials and strong oxidizer.
Hazardous Decomposition Products	No decomposition if correctly used. Thermic decomposition : Nitrous gases and ammonia.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not triggered, after uptake of large quantities may cause diarrhea. Oral for this product = LD50 (oral): =>5000mg/kg = Non Hazardous
Dermal	Not applicable.
Inhalation	Not triggered however after inhalation of aerosols there is a slight irritation of the mucous membranes and coughing.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

This product is not known to be hazardous to the environment.

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations.

Precautions or methods to avoid: Dispose of unwanted product as a hazardous material according to Local Regulations.

Section 14 Transport Information

This product is not classified as a Dangerous Good for transport in NZ ; NZS 5433:2012

Section 15 Regulatory Information

The manufacturer has stated this substance is NON hazardous according to the EPA Hazardous Substances (Classification) Notice 2017.

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date:

25 July 2019

Review Date:

25 July 2024